



2026

euro price list
edition 01 rev.01

TERZANI

TERZANI

euro price list 2026


edition 01 rev.01





When art meets light

Terzani redefines light as an artistic expression, transforming it into a visual language where research and craftsmanship merge. Each creation is conceived as a suspended luminous sculpture, shaping light and redefining spaces with captivating plays of reflections and shadows. Far from the conventional idea of lighting, Terzani explores new visual dimensions, experimenting with materials, techniques, and innovative concepts. The result is a collection of unique installations that go beyond simple functionality, becoming true works of art in motion, sculpted by light itself.





Bespoke

Work with the Terzani design team to transform your vision into reality, whether it involves straightforward modifications or intricate design enhancements.




The art of creation



Index

PreciousDesign

- 010 Abacus
- 024 Angel Falls
- 030 Argent
- 046 Argent, mon bijou
- 062 Atlantis
- 070 Calle
- 078 Core
- 084 Doodle
- 094 Dragon
- 098 Epoque
- 102 Etoile
- 106 Frame
- 110 Gaia
- 116 Genesis
- 120 Harpe
- 134 I Lucci Argentati
- 142 Iceberg
- 144 Manta
- 152 Mizu
- 170 Moiré
- 172 Oscar
- 174 Soscik
- 180 Stanley
- 182 Stream
- 188 Volver



Materials

Brass and white glass

Finishes

Diffuser



brass | white glass

Canopy



white




painted brass




brass


Legend




Pendants



Multi light pendant



Wall sconce




Abacus small pendant light

Body | 5 spheres

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
 brass white glass	 white	champagne fabric	integrated led	3,6W 540 lm 3000K	see power supply options	0V01SE8BF15KK	CE ENEC CB 635

On site minimum adjustable overall height 45 cm


 0,4 |  1,2  50x31x21 cm

Abacus medium pendant light

Body | 10 spheres

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
 brass white glass	 white	champagne fabric	integrated led	7,2W 1080 lm 3000K	see power supply options	0V01SE8BF1AKK	CE ENEC CB 1.070

On site minimum adjustable overall height 80 cm



 0,6 |  1,6  83x25x26 cm

Abacus large pendant light

Body | 15 spheres

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
brass white glass	white	champagne fabric	integrated led	10,8W 1620 lm 3000K	see power supply options	OV01SE8BF1FKK	CE ENEC CB 1.620

On site minimum adjustable overall height 120 cm

0,9 | 2,1 117x29x16 cm

Power supply options


INTEGRATED LED 3000K

Dimming		Code	Price €
0-10V PWM	max 26 spheres	R1240000	45 (net)
	max 60 spheres	R1260000	55 (net)
100kΩ 0/1-10V PUSH - DALI	max 26 spheres	KITELETDALISPH26	145 (net)
	max 60 spheres	KITELETDALISPH60	160 (net)

Abacus small pendant light

Body | 5 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 brass white glass	 white	champagne fabric	integrated led	3,6W 540 lm 3000K	0-10V PWM	0V01SE8BFP15	CE ENEC CB 910
			integrated led	3,6W 540 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V01SE8BFP15D	CE ENEC CB 1.040
 brass white glass	 painted brass	champagne fabric	integrated led	3,6W 540 lm 3000K	0-10V PWM	0V01SM3BFP15	CE ENEC CB 1.040
			integrated led	3,6W 540 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V01SM3BFP15D	CE ENEC CB 1.180


On site minimum adjustable overall height 45 cm

 1,6 |  2,4  50x31x21 cm

Abacus medium pendant light

Body | 10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 brass white glass	 white	champagne fabric	integrated led	7,2W 1080 lm 3000K	0-10V PWM	0V01SE8BFP1A	CE ENEC CB 1.350
			integrated led	7,2W 1080 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V01SE8BFP1AD	CE ENEC CB 1.490
 brass white glass	 painted brass	champagne fabric	integrated led	7,2W 1080 lm 3000K	0-10V PWM	0V01SM3BFP1A	CE ENEC CB 1.490
			integrated led	7,2W 1080 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V01SM3BFP1AD	CE ENEC CB 1.620


On site minimum adjustable overall height 80 cm

 1,7 |  2,8  83x25x26 cm

Abacus large pendant light

Body | 15 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 brass white glass	 white	champagne fabric	integrated led	10,8W 1620 lm 3000K	0-10V PWM	0V01SE8BFP1F	CE ENEC CB 1.900
			integrated led	10,8W 1620 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V01SE8BFP1FD	CE ENEC CB 2.040
 brass white glass	 painted brass	champagne fabric	integrated led	10,8W 1620 lm 3000K	0-10V PWM	0V01SM3BFP1F	CE ENEC CB 2.040
			integrated led	10,8W 1620 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V01SM3BFP1FD	CE ENEC CB 2.160


On site minimum adjustable overall height 120 cm



Abacus 3 small round multi light pendant


Body | 3x5 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 brass white glass	 white	champagne fabric	integrated led	3 x 3,6W 1620 lm 3000K	0-10V PWM	0V03SE8BFP1F	CE ENEC CB 2.160
			integrated led	3 x 3,6W 1620 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V03SE8BFP1FD	CE ENEC CB 2.300
 brass white glass	 painted brass	champagne fabric	integrated led	3 x 3,6W 1620 lm 3000K	0-10V PWM	0V03SM3BFP1F	CE ENEC CB 2.300
			integrated led	3 x 3,6W 1620 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V03SM3BFP1FD	CE ENEC CB 2.450


On site minimum adjustable overall height 60 cm



Abacus 3 medium round multi light pendant


Body | 3x10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		champagne fabric	integrated led	3 x 7,2W 3240 lm 3000K	0-10V PWM	0V03SE8BFP1V	CE ENEC CB 3.500
			integrated led	3 x 7,2W 3240 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V03SE8BFP1VD	CE ENEC CB 3.620
		champagne fabric	integrated led	3 x 7,2W 3240 lm 3000K	0-10V PWM	0V03SM3BFP1V	CE ENEC CB 3.620
			integrated led	3 x 7,2W 3240 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V03SM3BFP1VD	CE ENEC CB 3.770


On site minimum adjustable overall height 110 cm



Abacus 3 large round multi light pendant


Body | 3x15 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		champagne fabric	integrated led	3 x 10,8W 4860 lm 3000K	0-10V PWM	0V03SE8BFP2B	CE ENEC CB 5.110
			integrated led	3 x 10,8W 4860 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V03SE8BFP2BD	CE ENEC CB 5.250
		champagne fabric	integrated led	3 x 10,8W 4860 lm 3000K	0-10V PWM	0V03SM3BFP2B	CE ENEC CB 5.250
			integrated led	3 x 10,8W 4860 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V03SM3BFP2BD	CE ENEC CB 5.400


On site minimum adjustable overall height 150 cm



Abacus 7 small round multi light pendant

Body | 7x5 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		champagne fabric	integrated led	7 x 3,6W 3780 lm 3000K	0-10V PWM	0V07SE8BFP21	CE ENEC CB 4.710
			integrated led	7 x 3,6W 3780 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V07SE8BFP21D	CE ENEC CB 4.850
		champagne fabric	integrated led	7 x 3,6W 3780 lm 3000K	0-10V PWM	0V07SM3BFP21	CE ENEC CB 4.850
			integrated led	7 x 3,6W 3780 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V07SM3BFP21D	CE ENEC CB 4.960


On site minimum adjustable overall height 70 cm

 4 |  9,6  83x80x44 cm

Abacus 7 medium round multi light pendant

Body | 7x10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		champagne fabric	integrated led	7 x 7,2W 7560 lm 3000K	0-10V PWM	0V07SE8BFP32	CE ENEC CB 7.800
			integrated led	7 x 7,2W 7560 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V07SE8BFP32D	CE ENEC CB 7.950
		champagne fabric	integrated led	7 x 7,2W 7560 lm 3000K	0-10V PWM	0V07SM3BFP32	CE ENEC CB 7.950
			integrated led	7 x 7,2W 7560 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V07SM3BFP32D	CE ENEC CB 8.100


On site minimum adjustable overall height 130 cm

 6 |  13  191x46x46 cm

Abacus 7 large round multi light pendant

Body | 7×15 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 brass white glass	 white	champagne fabric	integrated led	7 × 10,8W 11340 lm 3000K	0-10V PWM	0V07SE8BFP43	CE ENEC CB 11.600
			integrated led	7 × 10,8W 11340 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V07SE8BFP43D	CE ENEC CB 11.700
 brass white glass	 painted brass	champagne fabric	integrated led	7 × 10,8W 11340 lm 3000K	0-10V PWM	0V07SM3BFP43	CE ENEC CB 11.700
			integrated led	7 × 10,8W 11340 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V07SM3BFP43D	CE ENEC CB 11.850


On site minimum adjustable overall height 160 cm

 9,6 |  14,6  191×46×46 cm

Abacus small linear multi light pendant

Body | 3×5 - 3×10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 brass white glass	 white	champagne fabric	integrated led	3 × 3,6W 3 × 7,2W 4860 lm 3000K	0-10V PWM	0V06SE8BFR2B	CE ENEC CB 5.050
			integrated led	3 × 3,6W 3 × 7,2W 4860 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V06SE8BFR2BD	CE ENEC CB 5.200
 brass white glass	 painted brass	champagne fabric	integrated led	3 × 3,6W 3 × 7,2W 4860 lm 3000K	0-10V PWM	0V06SP4BFR2B	CE ENEC CB 5.250
			integrated led	3 × 3,6W 3 × 7,2W 4860 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V06SP4BFR2BD	CE ENEC CB 5.400



On site minimum adjustable overall height 110 cm

 7 |  1× 7
1× 5  1× 90×45×30 cm
1× 83×25×26 cm

Abacus medium linear multi light pendant

Body | 6x5 - 6x10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		champagne fabric	integrated led	6 x 3,6W 6 x 7,2W 9720 lm 3000K	0-10V PWM	0V12SE8BFR3M	CE ENEC CB 10.050
			integrated led	6 x 3,6W 6 x 7,2W 9720 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V12SE8BFR3MD	CE ENEC CB 10.350
		champagne fabric	integrated led	6 x 3,6W 6 x 7,2W 9720 lm 3000K	0-10V PWM	0V12SP4BFR3M	CE ENEC CB 10.250
			integrated led	6 x 3,6W 6 x 7,2W 9720 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V12SP4BFR3MD	CE ENEC CB 10.550



On site minimum adjustable overall height 110 cm

 13 |  1x 10
1x 10,6  1x 107x80x24 cm
1x 177x29x16 cm

Abacus large linear multi light pendant

Body | 7x5 - 8x10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		champagne fabric	integrated led	7 x 3,6W 8 x 7,2W 12420 lm 3000K	0-10V PWM	0V15SE8BFR4D	CE ENEC CB 12.150
			integrated led	7 x 3,6W 8 x 7,2W 12420 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V15SE8BFR4DD	CE ENEC CB 12.450
		champagne fabric	integrated led	7 x 3,6W 8 x 7,2W 12420 lm 3000K	0-10V PWM	0V15SP4BFR4D	CE ENEC CB 12.450
			integrated led	7 x 3,6W 8 x 7,2W 12420 lm 3000K	100kΩ 0/1-10V PUSH - DALI	0V15SP4BFR4DD	CE ENEC CB 12.650


On site minimum adjustable overall height 110 cm

 32 |  1x 13
1x 23  1x 115x95x75 cm
1x 191x46x46 cm

Abacus wall sconce

Body | 5 spheres

Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 brass white glass	 brass	-	integrated led	3,6W 540 lm 3000K	0/1-10V PUSH	0V01AM3BF15	CE ENEC 1.020

 1,6 |  1,8  60x20x21 cm




Abacus | Bespoke


Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

	Size	Type *	Finish
Canopy	 _____ cm ☐	 _____ cm ☐	☐ white ☐ satin brass ☐ painted brass ☐ brass ☐ other _____
	 _____ cm ☐		
Based on your request, we will provide a solution that best meets your needs			

	Pendant height	Pendant Finish
Height	min _____ cm	☐ brass white glass ☐ other _____
	max _____ cm	

	Type of pendants and the number
Diffuser	5 spheres 
	10 spheres 
	15 spheres 
	Qty _____

	Voltage	Type	Dimming
Light Source	☐ 120V ☐ 230V	☐ integrated led 3000K	☐ PWM ☐ 1-10V ☐ PUSH ☐ 0-10V ☐ DALI ☐ other _____

Additional information

Angel Falls | Design Nigel Coates



Material

Clear crystal

Finishes

Diffuser



clear crystal

Canopy




white




brushed nickel






Legend



Pendant




Multi pendants



Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Angel Falls single pendant



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	-	air craft nylon cable	-	-	-	0Q10EZ8A9O	CE ENEC 250


On site minimum adjustable overall height 30 cm

0,2 | 0,7 32x24x17 cm

Angel Falls 7 pendants

Body | 7 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	brushed nickel	air craft nylon cable	GU10 dimmable led	5W	all systems	0Q07SH4A9F	CE ENEC 2.800



GU10 light bulbs are not included
On site minimum adjustable overall height 125 cm

4,1 | 1x 4
1x 3 1x 50x50x25 cm
1x 50x50x25 cm

Angel Falls 12 pendants


Body | 12 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 brushed nickel	air craft nylon cable	GU10 dimmable led	3 × 5W	all systems	0Q12SH4A9F	CE ENEC 4.790



GU10 light bulbs are not included
On site minimum adjustable overall height 110 cm



Angel Falls 18 pendants


Body | 18 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 brushed nickel	air craft nylon cable	GU10 dimmable led	3 × 5W	all systems	0Q11SH4A9F	CE ENEC 6.000


GU10 light bulbs are not included
On site minimum adjustable overall height 160 cm



Angel Falls 24 pendants

Body | 24 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	brushed nickel	air craft nylon cable	GU10 dimmable led	3 × 5W	all systems	0Q10SH4A9F	CE ENEC 7.600


GU10 light bulbs are not included
On site minimum adjustable overall height 150 cm

14 | 1 × 10
1 × 14,4 1 × 67×67×23 cm
1 × 77×77×30 cm

Angel Falls 36 pendants

Body | 36 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	white	air craft nylon cable	GU10 dimmable led	9 × 4W	all systems	0Q13SE8A9F	CE ENEC 11.800

GU10 light bulbs are not included
On site minimum adjustable overall height 100 cm

25 | 1 × 19
1 × 16 1 × 130×21×85 cm
1 × 83×80×44 cm





Material

Stainless steel

Finishes

Diffuser

Canopy



stainless steel



white



gold




sunset rose




champagne


Legend




Pendants




Multi light pendant



Chandelier



Wall sconce



Ceiling light





Table lamp




Argent pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	see power supply options	0N90SE7C8FKK	CE ENEC 945
			G4 dimmable led	3 × 2W	see power supply options	0N90SE7C8FLKK	CE ENEC CB 945
gold	white	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	see power supply options	0N90SP7C8FKK	CE ENEC 1.540
			G4 dimmable led	3 × 2W	see power supply options	0N90SP7C8FLKK	CE ENEC CB 1.540
sunset rose	white	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	see power supply options	0N90SA8C8FKK	CE ENEC 1.540
			G4 dimmable led	3 × 2W	see power supply options	0N90SA8C8FLKK	CE ENEC CB 1.540
champagne	white	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	see power supply options	0N90SQ1C8FKK	CE ENEC 1.540
			G4 dimmable led	3 × 2W	see power supply options	0N90SQ1C8FLKK	CE ENEC CB 1.540

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 60 cm

1,8 | 3,2 41×41×41 cm

Power supply options

G4 HALOGEN


Dimming		Code	Price €
IGBT	max 1 pendant	R1030000	35 (net)
DALI	max 1 pendant	KITELETDALIHALO70	175 (net)

G4 LED


Dimming		Code	Price €
IGBT	max 7 pendants	R1030000	35 (net)
100kΩ	max 8 pendants	KITELETDALILED60	150 (net)
0/1-10V PUSH - DALI	max 14 pendants	KITELETDALILED100	175 (net)

Argent pendant light


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 stainless steel	 white	clear	G4 halogen	3 × 20W	IGBT TRIAC	0N90SE7C8F	CE ENEC 1.020
			G4 led	3 × 2W	no	0N90SE7C8FL	CE ENEC CB 1.020
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N90SE7C8FD*	CE ENEC 1.170
 gold	 white	clear	G4 halogen	3 × 20W	IGBT TRIAC	0N90SP7C8F	CE ENEC 1.640
			G4 led	3 × 2W	no	0N90SP7C8FL	CE ENEC CB 1.640
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N90SP7C8FD*	CE ENEC 1.770
 sunset rose	 white	clear	G4 halogen	3 × 20W	IGBT TRIAC	0N90SA8C8F	CE ENEC 1.640
			G4 led	3 × 2W	no	0N90SA8C8FL	CE ENEC CB 1.640
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N90SA8C8FD*	CE ENEC 1.770
 champagne	 white	clear	G4 halogen	3 × 20W	IGBT TRIAC	0N90SQ1C8F	CE ENEC 1.640
			G4 led	3 × 2W	no	0N90SQ1C8FL	CE ENEC CB 1.640
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N90SQ1C8FD*	CE ENEC 1.770


G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 60 cm

 2,4 kg * 3 |  3,8 kg * 5,8 |  41×41×41 cm * 51×51×51 cm

Argent 4 round multi light pendant

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 stainless steel	 white	clear	G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	IGBT	0N91SE7C8F	CE ENEC 4.940
			G4 dimmable led	12 x 2W	1-10V PWM	0N91SE7C8FL	CE ENEC CB 4.940
			G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	DALI	0N91SE7C8FD	CE ENEC 5.350
			G4 dimmable led	12 x 2W	100kΩ 0/1-10V PUSH - DALI	0N91SE7C8FLD	CE ENEC 5.050
 gold	 white	clear	G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	IGBT	0N91SP7C8F	CE ENEC 7.550
			G4 dimmable led	12 x 2W	1-10V PWM	0N90SP7C8FL	CE ENEC CB 7.550
			G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	DALI	0N91SP7C8FD	CE ENEC 7.950
			G4 dimmable led	12 x 2W	100kΩ 0/1-10V PUSH - DALI	0N91SP7C8FLD	CE ENEC 7.650
 sunset rose	 white	clear	G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	IGBT	0N91SA8C8F	CE ENEC 7.550
			G4 dimmable led	12 x 2W	1-10V PWM	0N91SA8C8FL	CE ENEC CB 7.550
			G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	DALI	0N91SA8C8FD	CE ENEC 7.950
			G4 dimmable led	12 x 2W	100kΩ 0/1-10V PUSH - DALI	0N91SA8C8FLD	CE ENEC 7.650
 champagne	 white	clear	G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	IGBT	0N91SQ1C8F	CE ENEC 7.550
			G4 dimmable led	12 x 2W	1-10V PWM	0N91SQ1C8FL	CE ENEC CB 7.550
			G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	DALI	0N91SQ1C8FD	CE ENEC 7.950
			G4 dimmable led	12 x 2W	100kΩ 0/1-10V PUSH - DALI	0N91SQ1C8FLD	CE ENEC 7.650

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 90 cm



18,5



28






84x84x72 cm

Argent 4 linear multi light pendant

Body

Canopy

Example - bespoke option




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear	G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	IGBT	 0N92SE7C8F	CE ENEC 4.940
			G4 dimmable led	12 x 2W	1-10V PWM	0N92SE7C8FL	CE ENEC CB 4.940
			G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	DALI	0N92SE7C8FD	CE ENEC 5.350
			G4 dimmable led	12 x 2W	100kΩ 0/1-10V PUSH - DALI	0N92SE7C8FLD	CE ENEC 5.050
		clear	G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	IGBT	0N92SP7C8F	CE ENEC 7.550
			G4 dimmable led	12 x 2W	1-10V PWM	0N92SP7C8FL	CE ENEC CB 7.550
			G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	DALI	0N92SP7C8FD	CE ENEC 7.950
			G4 dimmable led	12 x 2W	100kΩ 0/1-10V PUSH - DALI	0N92SP7C8FLD	CE ENEC 7.650
		clear	G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	IGBT	0N92SA8C8F	CE ENEC 7.550
			G4 dimmable led	12 x 2W	1-10V PWM	0N92SA8C8FL	CE ENEC CB 7.550
			G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	DALI	0N92SA8C8FD	CE ENEC 7.950
			G4 dimmable led	12 x 2W	100kΩ 0/1-10V PUSH - DALI	0N92SA8C8FLD	CE ENEC 7.650
		clear	G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	IGBT	0N92SQ1C8F	CE ENEC 7.550
			G4 dimmable led	12 x 2W	1-10V PWM	0N92SQ1C8FL	CE ENEC CB 7.550
			G4 dimmable led or G4 halogen	12 x 2W or 12 x 20W	DALI	0N92SQ1C8FD	CE ENEC 7.950
			G4 dimmable led	12 x 2W	100kΩ 0/1-10V PUSH - DALI	0N92SQ1C8FLD	CE ENEC 7.650

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 60 cm



 quick ship |  14,8 |  1x 8 4x 3,2 |  1x 117x29x16 cm 4x 41x41x41 cm

Argent 6 linear multi light pendant




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 stainless steel	 white	clear	G4 dimmable led or G4 halogen	18 x 2W or 18 x 20W	IGBT	0N89SE7C8F	CE ENEC 7.400
			G4 dimmable led	18 x 2W	1-10V PWM	0N89SE7C8FL	CE ENEC CB 7.400
			G4 dimmable led or G4 halogen	18 x 2W or 18 x 20W	DALI	0N89SE7C8FD	CE ENEC 7.800
			G4 dimmable led	18 x 2W	100kΩ 0/1-10V PUSH - DALI	0N89SE7C8FLD	CE ENEC 7.550
 gold	 white	clear	G4 dimmable led or G4 halogen	18 x 2W or 18 x 20W	IGBT	0N89SP7C8F	CE ENEC 11.350
			G4 dimmable led	18 x 2W	1-10V PWM	0N89SP7C8FL	CE ENEC CB 11.350
			G4 dimmable led or G4 halogen	18 x 2W or 18 x 20W	DALI	0N89SP7C8FD	CE ENEC 11.700
			G4 dimmable led	18 x 2W	100kΩ 0/1-10V PUSH - DALI	0N89SP7C8FLD	CE ENEC 11.500
 sunset rose	 white	clear	G4 dimmable led or G4 halogen	18 x 2W or 18 x 20W	IGBT	0N89SA8C8F	CE ENEC 11.350
			G4 dimmable led	18 x 2W	1-10V PWM	0N89SA8C8FL	CE ENEC CB 11.350
			G4 dimmable led or G4 halogen	18 x 2W or 18 x 20W	DALI	0N89SA8C8FD	CE ENEC 11.700
			G4 dimmable led	18 x 2W	100kΩ 0/1-10V PUSH - DALI	0N89SA8C8FLD	CE ENEC 11.500
 champagne	 white	clear	G4 dimmable led or G4 halogen	18 x 2W or 18 x 20W	IGBT	0N89SQ1C8F	CE ENEC 11.350
			G4 dimmable led	18 x 2W	1-10V PWM	0N89SQ1C8FL	CE ENEC CB 11.350
			G4 dimmable led or G4 halogen	18 x 2W or 18 x 20W	DALI	0N89SQ1C8FD	CE ENEC 11.700
			G4 dimmable led	18 x 2W	100kΩ 0/1-10V PUSH - DALI	0N89SQ1C8FLD	CE ENEC 11.500

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 60 cm



Argent small chandelier




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear cord + steel cable	integrated led	6 × 2,1W led 1698 lm 3000K	0/1-10V PUSH DALI	0N95SE7C8F	CE ENEC 4.940
			integrated led	6 × 2,1W led 1518 lm 2700K	0/1-10V PUSH DALI	0N95SE7C8FW	CE ENEC 4.940
gold	white	clear cord + steel cable	integrated led	6 × 2,1W led 1698 lm 3000K	0/1-10V PUSH DALI	0N95SP7C8F	CE ENEC 7.550
			integrated led	6 × 2,1W led 1518 lm 2700K	0/1-10V PUSH DALI	0N95SP7C8FW	CE ENEC 7.550
sunset rose	white	clear cord + steel cable	integrated led	6 × 2,1W led 1698 lm 3000K	0/1-10V PUSH DALI	0N95SA8C8F	CE ENEC 7.550
			integrated led	6 × 2,1W led 1518 lm 2700K	0/1-10V PUSH DALI	0N95SA8C8FW	CE ENEC 7.550
champagne	white	clear cord + steel cable	integrated led	6 × 2,1W led 1698 lm 3000K	0/1-10V PUSH DALI	0N95SQ1C8F	CE ENEC 7.550
			integrated led	6 × 2,1W led 1518 lm 2700K	0/1-10V PUSH DALI	0N95SQ1C8FW	CE ENEC 7.550

On site minimum adjustable overall height 80 cm


11 | 26 83x78x95 cm

Argent medium chandelier

Body




Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear cord + steel cable	integrated led	12 x 2,1W led 3396 lm 3000K	0/1-10V PUSH DALI	0N93SE7C8F	CE ENEC 8.400
			integrated led	12 x 2,1W led 3036 lm 2700K	0/1-10V PUSH DALI	0N93SE7C8FW	CE ENEC 8.400
gold	white	clear cord + steel cable	integrated led	12 x 2,1W led 3396 lm 3000K	0/1-10V PUSH DALI	0N93SP7C8F	CE ENEC 12.650
			integrated led	12 x 2,1W led 3036 lm 2700K	0/1-10V PUSH DALI	0N93SP7C8FW	CE ENEC 12.650
sunset rose	white	clear cord + steel cable	integrated led	12 x 2,1W led 3396 lm 3000K	0/1-10V PUSH DALI	0N93SA8C8F	CE ENEC 12.650
			integrated led	12 x 2,1W led 3036 lm 2700K	0/1-10V PUSH DALI	0N93SA8C8FW	CE ENEC 12.650
champagne	white	clear cord + steel cable	integrated led	12 x 2,1W led 3396 lm 3000K	0/1-10V PUSH DALI	0N93SQ1C8F	CE ENEC 12.650
			integrated led	12 x 2,1W led 3036 lm 2700K	0/1-10V PUSH DALI	0N93SQ1C8FW	CE ENEC 12.650

On site minimum adjustable overall height 110 cm




Argent large chandelier

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
stainless steel	white	clear cord + steel cable	integrated led	18 x 2,1W led 5094 lm 3000K	PUSH DALI	0N94SE7C8F	CE ENEC 12.650
			integrated led	18 x 2,1W led 4554 lm 2700K	PUSH DALI	0N94SE7C8FW	CE ENEC 12.650
gold	white	clear cord + steel cable	integrated led	18 x 2,1W led 5094 lm 3000K	PUSH DALI	0N94SP7C8F	CE ENEC 18.950
			integrated led	18 x 2,1W led 4554 lm 2700K	PUSH DALI	0N94SP7C8FW	CE ENEC 18.950
sunset rose	white	clear cord + steel cable	integrated led	18 x 2,1W led 5094 lm 3000K	PUSH DALI	0N94SA8C8F	CE ENEC 18.950
			integrated led	18 x 2,1W led 4554 lm 2700K	PUSH DALI	0N94SA8C8FW	CE ENEC 18.950
champagne	white	clear cord + steel cable	integrated led	18 x 2,1W led 5094 lm 3000K	PUSH DALI	0N94SQ1C8F	CE ENEC 18.950
			integrated led	18 x 2,1W led 4554 lm 2700K	PUSH DALI	0N94SQ1C8FW	CE ENEC 18.950

On site minimum adjustable overall height 175 cm

36

108




85x85x195 cm

Argent wall sconce

Body


Canopy

Canopy for DALI



Finish	Source	Max power	Dimming	Code		Price €
 stainless steel nickel	G4 halogen	3 × 20W	IGBT TRIAC	0N97AE7C8F	CE ENEC	1.020
	G4 led	3 × 2W	no	0N97AE7C8FL	CE ENEC CB	1.020
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N97AE7C8FD	CE ENEC	1.170
 gold	G4 halogen	3 × 20W	IGBT TRIAC	0N97AP7C8F	CE ENEC	1.640
	G4 led	3 × 2W	no	0N97AP7C8FL	CE ENEC CB	1.640
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N97AP7C8FD	CE ENEC	1.770
 sunset rose	G4 halogen	3 × 20W	IGBT TRIAC	0N97AA8C8F	CE ENEC	1.640
	G4 led	3 × 2W	no	0N97AA8C8FL	CE ENEC CB	1.640
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N97AA8C8FD	CE ENEC	1.770
 champagne	G4 halogen	3 × 20W	IGBT TRIAC	0N97AQ1C8F	CE ENEC	1.640
	G4 led	3 × 2W	no	0N97AQ1C8FL	CE ENEC CB	1.640
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N97AQ1C8FD	CE ENEC	1.770

G4 led and G4 halogen light bulbs are not included






Argent ceiling light

Body

Canopy

Canopy for DALI




Finish	Source	Max power	Dimming	Code		Price €
	G4 halogen	3 × 20W	IGBT TRIAC	0N99LE7C8F	CE ENEC	1.020
	G4 led	3 × 2W	no	0N99LE7C8FL	CE ENEC CB	1.020
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N99LE7C8FD	CE ENEC	1.170
	G4 halogen	3 × 20W	IGBT TRIAC	0N99LP7C8F	CE ENEC	1.640
	G4 led	3 × 2W	no	0N99LP7C8FL	CE ENEC CB	1.640
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N99LP7C8FD	CE ENEC	1.770
	G4 halogen	3 × 20W	IGBT TRIAC	0N99LA8C8F	CE ENEC	1.640
	G4 led	3 × 2W	no	0N99LA8C8FL	CE ENEC CB	1.640
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N99LA8C8FD	CE ENEC	1.770
	G4 halogen	3 × 20W	IGBT TRIAC	0N99LQ1C8F	CE ENEC	1.640
	G4 led	3 × 2W	no	0N99LQ1C8FL	CE ENEC CB	1.640
	G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	0N99LQ1C8FD	CE ENEC	1.770

G4 led and G4 halogen light bulbs are not included

 2,1 |  3,8  59×59×28,5 cm

Argent table lamp



Finish	Cord	Source	Max power	Dimming	Code		Price €
 stainless steel nickel	clear	G4 led	3 × 2W	no	0N98BE7C8F	CE ENEC	1.130
 gold	clear	G4 led	3 × 2W	no	0N98BP7C8F	CE ENEC	1.730
 sunset rose	clear	G4 led	3 × 2W	no	0N98BA8C8F	CE ENEC	1.730
 champagne	clear	G4 led	3 × 2W	no	0N98BQ1C8F	CE ENEC	1.730


G4 led light bulbs are not included

 2,2 |  5,4  51x51x51 cm






Argent | Bespoke


Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

	Size	Type *	Finish
Canopy	 _____ cm ☐	 Standard ☐ with quick system ☐ without quick system	☐ white
	 _____ cm ☐	 Flush ☐ available only with quick	☐ other _____
	 _____ cm ☐	 Radial system ☐	
	 _____ cm ☐	 Disc ☐	

Based on your request, we will provide a solution that best meets your needs

	Pendant height	Hanging on	Finish
Height		Cables ☐	☐ stainless steel ☐ gold ☐ sunset rose ☐ champagne ☐ other
	Number of pendants _____ min _____ cm _____ max _____ cm	Rods (for Yachts) ☐	
		Diffuser	

	Voltage	Type	Dimming
Light Source	☐ 120V ☐ 230V	☐ halogen ☐ led	☐ IGBT ☐ 1-10V ☐ PWM ☐ TRIAC ☐ PUSH ☐ DALI ☐ other _____

Additional information



Material

Stainless steel and brass

Finishes

Diffuser

Canopy



stainless steel



white



gold




sunset rose




champagne


Legend




Pendants




Multi light pendant



Portable table lamp



Wall sconce





Argent, mon bijou pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming		Code	Price €
stainless steel	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	CE ENEC CB	OS01SE8H9FKK	495
				1,5W 164 lm 2700K - 500mA	see power supply options	CE ENEC CB	OS01SE8H9FWKK	495
gold	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	CE ENEC CB	OS01SE8P7FKK	880
				1,5W 164 lm 2700K - 500mA	see power supply options	CE ENEC CB	OS01SE8P7FWKK	880
sunset rose	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	CE ENEC CB	OS01SE8A8FKK	880
				1,5W 164 lm 2700K - 500mA	see power supply options	CE ENEC CB	OS01SE8A8FWKK	880
champagne	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	CE ENEC CB	OS01SE8Q1FKK	880
				1,5W 164 lm 2700K - 500mA	see power supply options	CE ENEC CB	OS01SE8Q1FWKK	880

On site minimum adjustable overall height 25 cm

0,5 | 1 25x25x22 cm


Power supply options

INTEGRATED LED 3000K

Dimming		Code	Price €
IGBT / TRIAC	max 6 pendants	R1630000	30 (net)
1-10V / PUSH	min 2 max 8 pendants	R1110000	55 (net)
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R1070000	95 (net)

Argent, mon bijou pendant light

BodyCanopy




Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
stainless steel	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S01SE8H9FT	545
				1,5W 164 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S01SE8H9FTW	545
gold	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S01SE8P7FT	940
				1,5W 164 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S01SE8P7FTW	940
sunset rose	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S01SE8A8FT	940
				1,5W 164 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S01SE8A8FTW	940
champagne	white	clear	integrated led	1,5W 174 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S01SE8Q1FT	940
				1,5W 164 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S01SE8Q1FTW	940

On site minimum adjustable overall height 30 cm

0,7 | 1,2 25x25x22 cm

Argent, mon bijou 3 round light pendant



Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
stainless steel	white	clear	integrated led	3 × 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8H9FT	1.600
				3 × 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8H9FTW	1.600
gold	white	clear	integrated led	3 × 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8P7FT	2.750
				3 × 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8P7FTW	2.750
sunset rose	white	clear	integrated led	3 × 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8A8FT	2.750
				3 × 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8A8FTW	2.750
champagne	white	clear	integrated led	3 × 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8Q1FT	2.750
				3 × 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8Q1FTW	2.750

On site minimum adjustable overall height 95 cm

3,5


|

4

|

50x50x25 cm

Argent, mon bijou 5 round light pendant



Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
stainless steel	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8H9FT	2.700
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8H9FTW	2.700
gold	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8P7FT	4.650
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8P7FTW	4.650
sunset rose	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8A8FT	4.650
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8A8FTW	4.650
champagne	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8Q1FT	4.650
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8Q1FTW	4.650

On site minimum adjustable overall height 145 cm

4,5


|

5

|

51x51x51 cm

Argent, mon bijou 7 round light pendant




Canopy	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 stainless steel	 white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8H9FT	3.800
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8H9FTW	3.800
 gold	 white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8P7FT	6.550
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8P7FTW	6.550
 sunset rose	 white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8A8FT	6.550
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8A8FTW	6.550
 champagne	 white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8Q1FT	6.550
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8Q1FTW	6.550

On site minimum adjustable overall height 180 cm

 5,5 |  6  67x67x30 cm

Argent, mon bijou 15 round light pendant



Canopy	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 stainless steel	 white	clear	integrated led	15 × 1,5W 2610 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S15SE8H9FT	8.450
				15 × 1,5W 2460 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S15SE8H9FTW	8.450
 gold	 white	clear	integrated led	15 × 1,5W 2610 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S15SE8P7FT	14.450
				15 × 1,5W 2460 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S15SE8P7FTW	14.450
 sunset rose	 white	clear	integrated led	15 × 1,5W 2610 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S15SE8A8FT	14.450
				15 × 1,5W 2460 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S15SE8A8FTW	14.450
 champagne	 white	clear	integrated led	15 × 1,5W 2610 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S15SE8Q1FT	14.450
				15 × 1,5W 2460 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S15SE8Q1FTW	14.450


On site minimum adjustable overall height 190 cm

 18 |  22  90x90x35 cm

Argent, mon bijou 3 linear light pendant


Body

Canopy




Canopy	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 stainless steel	 white	clear	integrated led	3 × 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8H9FR	1.600
				3 × 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8H9FRW	1.600
 gold	 white	clear	integrated led	3 × 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8P7FR	2.750
				3 × 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8P7FRW	2.750
 sunset rose	 white	clear	integrated led	3 × 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8A8FR	2.750
				3 × 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8A8FRW	2.750
 champagne	 white	clear	integrated led	3 × 1,5W 522 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8Q1FR	2.750
				3 × 1,5W 492 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S03SE8Q1FRW	2.750

On site minimum adjustable overall height 60 cm



Argent, mon bijou 4 linear light pendant



Canopy	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 stainless steel	 white	clear	integrated led	4 × 1,5W 696 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S04SE8H9FR	2.160
				4 × 1,5W 656 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S04SE8H9FRW	2.160
 gold	 white	clear	integrated led	4 × 1,5W 696 lm 3000K - 500mA	IGBT TRIAC	CE ENEC		3.700
				4 × 1,5W 656 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S04SE8P7FRW	3.700
 sunset rose	 white	clear	integrated led	4 × 1,5W 696 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S04SE8A8FR	3.700
				4 × 1,5W 656 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S04SE8A8FRW	3.700
 champagne	 white	clear	integrated led	4 × 1,5W 696 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S04SE8Q1FR	3.700
				4 × 1,5W 656 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S04SE8Q1FRW	3.700

On site minimum adjustable overall height 60 cm

 5


|

 7

|

 117×29×16 cm

Argent, mon bijou 5 linear light pendant



Canopy	Canopy	Cord	Source	Max power	Dimming		Code	Price €
stainless steel	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8H9FR	2.700
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8H9FRW	2.700
gold	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8P7FR	4.650
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8P7FRW	4.650
sunset rose	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8A8FR	4.650
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8A8FRW	4.650
champagne	white	clear	integrated led	5 × 1,5W 870 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8Q1FR	4.650
				5 × 1,5W 820 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S05SE8Q1FRW	4.650

On site minimum adjustable overall height 60 cm

6


|

8

|

90x45x30 cm

Argent, mon bijou 6 linear light pendant




Canopy	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 stainless steel	 white	clear	integrated led	6 × 1,5W 1044 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S06SE8H9FR	3.260
				6 × 1,5W 984 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S06SE8H9FRW	3.260
 gold	 white	clear	integrated led	6 × 1,5W 1044 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S06SE8P7FR	5.600
				6 × 1,5W 984 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S06SE8P7FRW	5.600
 sunset rose	 white	clear	integrated led	6 × 1,5W 1044 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S06SE8A8FR	5.600
				6 × 1,5W 984 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S06SE8A8FRW	5.600
 champagne	 white	clear	integrated led	6 × 1,5W 1044 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S06SE8Q1FR	5.600
				6 × 1,5W 984 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S06SE8Q1FRW	5.600

On site minimum adjustable overall height 60 cm

 7 |  9  177×29×16 cm

Argent, mon bijou 7 linear light pendant



Canopy	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 stainless steel	 white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8H9FR	3.800
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8H9FRW	3.800
 gold	 white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8P7FR	6.550
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8P7FRW	6.550
 sunset rose	 white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8A8FR	6.550
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8A8FRW	6.550
 champagne	 white	clear	integrated led	7 × 1,5W 1218 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8Q1FR	6.550
				7 × 1,5W 1148 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S07SE8Q1FRW	6.550

On site minimum adjustable overall height 60 cm

 10

|


 13

|

 117×29×16 cm

58

Argent, mon bijou 11 linear light pendant



Canopy	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 stainless steel	 white	clear	integrated led	11 × 1,5W 1914 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	OS11SE8H9FR	6.150
				11 × 1,5W 1804 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	OS11SE8H9FRW	6.150
 gold	 white	clear	integrated led	11 × 1,5W 1914 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	OS11SE8P7FR	10.500
				11 × 1,5W 1804 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	OS11SE8P7FRW	10.500
 sunset rose	 white	clear	integrated led	11 × 1,5W 1914 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	OS11SE8A8FR	10.500
				11 × 1,5W 1804 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	OS11SE8A8FRW	10.500
 champagne	 white	clear	integrated led	11 × 1,5W 1914 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	OS11SE8Q1FR	10.500
				11 × 1,5W 1804 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	OS11SE8Q1FRW	10.500

On site minimum adjustable overall height 60 cm

 12


|

 15

|

 177×29×16 cm

Argent, mon bijou 12 multi linear light pendant




Canopy	Canopy	Cord	Source	Max power	Dimming		Code	Price €
stainless steel	white	clear	integrated led	12 × 1,5W 2088 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S12SE8H9FR	6.700
				12 × 1,5W 1968 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S12SE8H9FRW	6.700
gold	white	clear	integrated led	12 × 1,5W 2088 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S12SE8P7FR	11.500
				12 × 1,5W 1968 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S12SE8P7FRW	11.500
sunset rose	white	clear	integrated led	12 × 1,5W 2088 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S12SE8A8FR	11.500
				12 × 1,5W 1968 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S12SE8A8FRW	11.500
champagne	white	clear	integrated led	12 × 1,5W 2088 lm 3000K - 500mA	IGBT TRIAC	CE ENEC	0S12SE8Q1FR	11.500
				12 × 1,5W 1968 lm 2700K - 500mA	IGBT TRIAC	CE ENEC	0S12SE8Q1FRW	11.500

On site minimum adjustable overall height 60 cm

15 | 20 177×29×16 cm

Argent, mon bijou portable table lamp



Finish	Source	Max power	Dimming	Autonomy	Code	Price €
 stainless steel nickel	integrated led	1,4W 210 lm 3000K	integrated 4 steps dimmer	min 5.5h max 36h	0N88BE7C8H	360
 gold					0N88BP7C8H	540
 sunset rose					0N88BA8C8H	540
 champagne					0N88BQ1C8H	540



USB-A to USB-C 1m cable and battery included.
Gift box included.

 quick ship   1 |  1,5  36x31x30 cm

Argent, mon bijou wall sconce

Body

Canopy




Diffuser	Source	Max power	Dimming		Code	Price €
 stainless steel nickel	integrated led	2,1W 237 lm 3000K - 700mA	0/1-10V PUSH		0S01AE7H9F	600
 gold					0S01AL6P7F	990
 sunset rose					0S01AN4A8F	990
 champagne					0S01AL6Q1F	990



 0,5 |  1  25x25x22 cm



Argent, mon bijou | Bespoke

Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

	Size	Type *	Finish
Canopy	 _____ cm ☐	 _____ cm ☐	☐ white ☐ other _____
	 _____ cm ☐	 _____ cm ☐	
	Based on your request, we will provide a solution that best meets your needs		
		 Magnetic ☐	
		 Flush ☐	
		 Radial system ☐	
		 Cover disc ☐	

	Pendant height	Hanging on	Diffuser	Finish
Height	 min max	Cables ☐	☐ stainless steel ☐ gold ☐ sunset rose ☐ champagne	
		Rods (for Yachts) ☐		
	Number of pendants _____	min _____ cm max _____ cm		

	Voltage	Type	Dimming
Light Source	120V ☐ 230V ☐	☐ integrated led 3000K ☐ integrated led 2700K	☐ IGBT ☐ 1-10V ☐ PWM ☐ TRIAC ☐ PUSH ☐ DALI ☐ other _____


Additional information



Materials

Brass chains and metal structure plated

Legend



Finishes

Diffuser



nickel plated



black nickel plated



brushed bronze



gold plated



champagne plated



brushed champagne plated

Canopy



nickel plated



black nickel plated



brushed bronze



gold plated




champagne plated




brushed champagne plated

Chandelier



Wall sconce





Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Atlantis small three tier chandelier


Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain	E14 dimmable led	6 × 6W	all systems	0A13SE7C8F	CE ENEC 17.250
black nickel plated	black nickel plated	clear cord + chain	E14 dimmable led	6 × 6W	all systems	0A13SE9C8F	CE ENEC 19.000
brushed bronze	brushed bronze	clear cord + chain	E14 dimmable led	6 × 6W	all systems	0A13SF7C8F	CE ENEC 20.700
gold plated	gold plated	clear cord + chain	E14 dimmable led	6 × 6W	all systems	0A13SL6C8F	CE ENEC 21.400
champagne plated	champagne plated	clear cord + chain	E14 dimmable led	6 × 6W	all systems	0A13SN1C8F	CE ENEC 21.400
brushed champagne plated	brushed champagne plated	clear cord + chain	E14 dimmable led	6 × 6W	all systems	0A13SN7C8F	CE ENEC 23.600



E14 led light bulbs are not included
On site minimum adjustable overall height 155 cm



Atlantis medium three tier chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A14SE7C8F	CE ENEC 19.300
black nickel plated	black nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A14SE9C8F	CE ENEC 21.400
brushed bronze	brushed bronze	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A14SF7C8F	CE ENEC 22.800

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 gold plated	 gold plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A14SL6C8F	CE ENEC 24.200
 champagne plated	 champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A14SN1C8F	CE ENEC 24.200
 brushed champagne plated	 brushed champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A14SN7C8F	CE ENEC 26.300



E14 led light bulbs are not included
On site minimum adjustable overall height 170 cm



Atlantis large three tier chandelier


Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A15SE7C8F	CE ENEC 29.000
 black nickel plated	 black nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A15SE9C8F	CE ENEC 32.000
 brushed bronze	 brushed bronze	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A15SF7C8F	CE ENEC 34.500
 gold plated	 gold plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A15SL6C8F	CE ENEC 35.000
 champagne plated	 champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A15SN1C8F	CE ENEC 35.000
 brushed champagne plated	 brushed champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A15SN7C8F	CE ENEC 38.500



E14 led light bulbs are not included
On site minimum adjustable overall height 230 cm



Atlantis small linear chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A18SE7C8F	CE ENEC 20.000
black nickel plated	black nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A18SE9C8F	CE ENEC 22.000
brushed bronze	brushed bronze	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A18SF7C8F	CE ENEC 24.200
gold plated	gold plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A18SL6C8F	CE ENEC 24.800
champagne plated	champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A18SN1C8F	CE ENEC 24.800
brushed champagne plated	brushed champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	0A18SN7C8F	CE ENEC 27.000

E14 led light bulbs are not included
On site minimum adjustable overall height 90 cm

34



70

170x55x99 cm

Atlantis medium linear chandelier

Body


Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A17SE7C8F	CE ENEC 28.500
black nickel plated	black nickel plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A17SE9C8F	CE ENEC 31.000
brushed bronze	brushed bronze	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A17SF7C8F	CE ENEC 33.500

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 gold plated	 gold plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A17SL6C8F	CE ENEC 35.000
 champagne plated	 champagne plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A17SN1C8F	CE ENEC 35.000
 brushed champagne plated	 brushed champagne plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A17SN7C8F	CE ENEC 38.500


E14 led light bulbs are not included
On site minimum adjustable overall height 105 cm



Atlantis large linear chandelier


Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 nickel plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A16SE7C8F	CE ENEC 36.500
 black nickel plated	 black nickel plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A16SE9C8F	CE ENEC 40.000
 brushed bronze	 brushed bronze	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A16SF7C8F	CE ENEC 43.000
 gold plated	 gold plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A16SL6C8F	CE ENEC 44.000
 champagne plated	 champagne plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A16SN1C8F	CE ENEC 44.000
 brushed champagne plated	 brushed champagne plated	clear cord + chain + steel cable	E14 dimmable led	10 × 6W	all systems	0A16SN7C8F	CE ENEC 48.500



E14 led light bulbs are not included
On site minimum adjustable overall height 130 cm



Atlantis two tier chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	OJ01SE7C8F	CE ENEC 27.800
black nickel plated	black nickel plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	OJ01SE9C8F	CE ENEC 30.500
brushed bronze	brushed bronze	clear cord + chain	E14 dimmable led	8 × 6W	all systems	OJ01SF7C8F	CE ENEC 33.000
gold plated	gold plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	OJ01SL6C8F	CE ENEC 34.500
champagne plated	champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	OJ01SN1C8F	CE ENEC 34.500
brushed champagne plated	brushed champagne plated	clear cord + chain	E14 dimmable led	8 × 6W	all systems	OJ01SN7C8F	CE ENEC 38.000

E14 led light bulbs are not included
On site minimum adjustable overall height 125 cm



45



92





135×100×114 cm

Atlantis small wall sconce

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	-	E14 dimmable led	2 × 6W	all systems	OJ04AE7C8F	CE ENEC 2.050
black nickel plated	black nickel plated	-	E14 dimmable led	2 × 6W	all systems	OJ04AE9C8F	CE ENEC 2.260
brushed bronze	brushed bronze	-	E14 dimmable led	2 × 6W	all systems	OJ04AF7C8F	CE ENEC 2.790

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 gold plated	 gold plated	-	E14 dimmable led	2 × 6W	all systems	OJ04AL6C8F	CE ENEC 2.330
 champagne plated	 champagne plated	-	E14 dimmable led	2 × 6W	all systems	OJ04AN1C8F	CE ENEC 2.330
 brushed champagne plated	 brushed champagne plated	-	E14 dimmable led	2 × 6W	all systems	OJ04AN7C8F	CE ENEC 2.550


E14 led light bulbs are not included



Atlantis large wall sconce


Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 nickel plated	-	E14 dimmable led	4 × 6W	all systems	OJ03AE7C8F	CE ENEC 4.200
 black nickel plated	 black nickel plated	-	E14 dimmable led	4 × 6W	all systems	OJ03AE9C8F	CE ENEC 4.850
 brushed bronze	 brushed bronze	-	E14 dimmable led	4 × 6W	all systems	OJ03AF7C8F	CE ENEC 5.450
 gold plated	 gold plated	-	E14 dimmable led	4 × 6W	all systems	OJ03AL6C8F	CE ENEC 5.150
 champagne plated	 champagne plated	-	E14 dimmable led	4 × 6W	all systems	OJ03AN1C8F	CE ENEC 5.150
 brushed champagne plated	 brushed champagne plated	-	E14 dimmable led	4 × 6W	all systems	OJ03AN7C8F	CE ENEC 5.650

E14 led light bulbs are not included





Material

Clear crystal

Finishes

Diffuser

Canopy




clear crystal




white


Legend



Pendants



Multi light pendant





Calle pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	white	clear	G4 dimmable led or G4 halogen	2W or 20W	see power supply options	OT01SE8A9FKK	CE ENEC 815
			G4 dimmable led	2W	see power supply options	OT01SE8A9FLKK	CE ENEC CB 815

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 130 cm

1,5

3

83x25x26 cm

Power supply options

G4 HALOGEN


Dimming		Code	Price €
IGBT	max 2 pendants	R1030000	35 (net)
DALI	max 2 pendants	KITELETDALIHALO70	175 (net)

G4 LED


Dimming		Code	Price €
IGBT	min 2 max 21 pendants	R1030000	35 (net)
100kΩ 0/1-10V	max 25 pendants	KITELETDALILED60	150 (net)
PUSH - DALI	max 43 pendants	KITELETDALILED100	175 (net)

Calle pendant light


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 halogen	20W	IGBT TRIAC	OT01SE8A9F	CE ENEC 865
clear crystal	white	clear	G4 led	2W	no	OT01SE8A9FL	CE ENEC CB 865
			G4 dimmable led or G4 halogen	3W or 20W	DALI	OT01SE8A9FD	CE ENEC 995

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 135 cm


1,5

3


83×25×26 cm

Calle 3 round multi light pendant

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	IGBT	OT03SE8A9F	CE ENEC 2.900
clear crystal	white	clear	G4 led	3 × 2W	no	OT03SE8A9FL	CE ENEC CB 3.220
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	OT03SE8A9FD	CE ENEC 3.180

Quick system included (for further information see page 194)
G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 110 cm


6

10


77×77×30 cm

Calle 3 linear multi light pendant

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 dimmmable led or G4 halogen	3 × 2W or 3 × 20W	IGBT	OT03SE8A9FR	CE ENEC 2.900
clear crystal	white	clear	G4 led	3 × 2W	no	OT03SE8A9FRL	CE ENEC CB 3.220
			G4 dimmmable led or G4 halogen	3 × 2W or 3 × 20W	DALI	OT03SE8A9FRD	CE ENEC 3.180

Quick system included (for further information see page 194)


G4 led and G4 halogen light bulbs are not included

On site minimum adjustable overall height 110 cm




Calle 5 round multi light pendant

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 dimmmable led or G4 halogen	5 × 2W or 5 × 20W	IGBT	OT05SE8A9F	CE ENEC 4.790
clear crystal	white	clear	G4 dimmmable led	5 × 2W	1-10V PWM	OT05SE8A9FL	CE ENEC CB 4.790
			G4 dimmmable led or G4 halogen	5 × 2W or 5 × 20W	DALI	OT05SE8A9FD	CE ENEC 5.200

Quick system included (for further information see page 194)


G4 led and G4 halogen light bulbs are not included

On site minimum adjustable overall height 135 cm




Calle 5 linear multi light pendant

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal  white		clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 20W	IGBT	OT05SE8A9FR	CE ENEC 4.790
			G4 dimmable led	5 × 2W	1-10V PWM	OT05SE8A9FRL	CE ENEC CB 4.790
			G4 dimmable led or G4 halogen	5 × 2W or 5 × 20W	DALI	OT05SE8A9FRD	CE ENEC 5.200

Quick system included (for further information see page 194)
G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 110 cm


 12,5 |  1x 6 1x 12  1x 117x29x16 cm 1x 77x77x30 cm

Calle | Bespoke


Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

	Size	Type*	Finish
Canopy	 _____ cm ☐	 Standard ☐ available only with quick	☐ white ☐ other _____
	 _____ cm ☐	 Flush ☐ available only with quick	
	 _____ cm ☐	 Disc ☐	
	 _____ cm ☐		

Based on your request, we will provide a solution that best meets your needs

	Pendant height
Height	 min _____ cm max _____ cm

	Finish	Number of pendants
Diffuser	☐ clear crystal ☐ other _____	

	Voltage	Type	Dimming
Light Source	☐ 120V ☐ 230V	☐ halogen ☐ led	☐ IGBT ☐ 1-10V ☐ TRIAC ☐ PWM ☐ DALI ☐ Other _____


Additional information



Materials

Brass and glass

Legend



Finishes




Diffuser

-  nickel plated | clear glass
-  black nickel plated | clear glass
-  gold plated | clear glass

Canopy

-  white
-  nickel plated
-  black nickel plated
-  gold plated

Pendant




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Core pendant light

Body




Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated clear glass	 white	clear	integrated led	2,1W 194 lm 3000K	no	0P22SE7A9F	CE ENEC 925
			integrated led	2,1W 172 lm 2700K	no	0P22SE7A9FW	CE ENEC 925
 black nickel plated clear glass	 white	clear	integrated led	2,1W 194 lm 3000K	no	0P22SE9A9F	CE ENEC 960
			integrated led	2,1W 172 lm 2700K	no	0P22SE9A9FW	CE ENEC 960
 gold plated clear glass	 white	clear	integrated led	2,1W 194 lm 3000K	no	0P22SL6A9F	CE ENEC 995
			integrated led	2,1W 172 lm 2700K	no	0P22SL6A9FW	CE ENEC 995

On site minimum adjustable overall height 50 cm




Core dome pendant light

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated clear glass	 nickel plated	clear cord + steel cable	Integrated COB led	18W 1640 lm CRI 90 3000K	1-10V PUSH	0P21SE7A9F	CE ENEC 6.900
			Integrated COB led	18W 1570 lm CRI 90 2700K	1-10V PUSH	0P21SE7A9FW	CE ENEC 6.900
			Integrated COB led	18W 1640 lm CRI 90 3000K	DALI	0P21SE7A9FD	CE ENEC 7.200

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated clear glass  nickel plated		clear cord + steel cable	Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P21SE7A9FWD	CE ENEC 7.200
			Integrated COB led	18W 1640 lm CRI 90 3000K	1-10V PUSH	0P21SE9A9F	CE ENEC 7.400
			Integrated COB led	18W 1570 lm CRI 90 2700K	1-10V PUSH	0P21SE9A9FW	CE ENEC 7.400
			Integrated COB led	18W 1640 lm CRI 90 3000K	DALI	0P21SE9A9FD	CE ENEC 7.650
 black nickel plated clear glass  black nickel plated		clear cord + steel cable	Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P21SE9A9FWD	CE ENEC 7.650
			Integrated COB led	18W 1640 lm CRI 90 3000K	1-10V PUSH	0P21SL6A9F	CE ENEC 8.200
			Integrated COB led	18W 1570 lm CRI 90 2700K	1-10V PUSH	0P21SL6A9FW	CE ENEC 8.200
			Integrated COB led	18W 1640 lm CRI 90 3000K	DALI	0P21SL6A9FD	CE ENEC 8.450
 gold plated clear glass  gold plated		clear cord + steel cable	Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P21SL6A9FWD	CE ENEC 8.450
			Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P21SL6A9FWD	CE ENEC 8.450
			Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P21SL6A9FWD	CE ENEC 8.450



On site minimum adjustable overall height 65 cm



Core sphere pendant light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated clear glass  nickel plated		clear cord + steel cable	Integrated COB led	18W 1640 lm CRI 90 3000K	1-10V PUSH	0P20SE7A9F	CE ENEC 10.150
			Integrated COB led	18W 1570 lm CRI 90 2700K	1-10V PUSH	0P20SE7A9FW	CE ENEC 10.150
			Integrated COB led	18W 1640 lm CRI 90 3000K	DALI	0P20SE7A9FD	CE ENEC 10.450
			Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P20SE7A9FWD	CE ENEC 10.450
 black nickel plated clear glass  black nickel plated		clear cord + steel cable	Integrated COB led	18W 1640 lm CRI 90 3000K	1-10V PUSH	0P20SE9A9F	CE ENEC 11.250

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 black nickel plated clear glass  black nickel plated		clear cord + steel cable	Integrated COB led	18W 1570 lm CRI 90 2700K	1-10V PUSH	0P20SE9A9FW	CE ENEC 11.250
			Integrated COB led	18W 1640 lm CRI 90 3000K	DALI	0P20SE9A9FD	CE ENEC 11.500
			Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P20SE9A9FWD	CE ENEC 11.500
 gold plated clear glass  gold plated		clear cord + steel cable	Integrated COB led	18W 1640 lm CRI 90 3000K	1-10V PUSH	0P20SL6A9F	CE ENEC 12.650
			Integrated COB led	18W 1570 lm CRI 90 2700K	1-10V PUSH	0P20SL6A9FW	CE ENEC 12.650
			Integrated COB led	18W 1640 lm CRI 90 3000K	DALI	0P20SL6A9FD	CE ENEC 12.900
			Integrated COB led	18W 1570 lm CRI 90 2700K	DALI	0P20SL6A9FWD	CE ENEC 12.900

On site minimum adjustable overall height 90 cm



16,5



26



83x78x95 cm



Doodle |


Design Simone Micheli



Material

Brass

Legend



Finishes

Diffuser



nickel plated



black nickel plated



gold plated



copper plated
(may age naturally)

Canopy



white



nickel plated



black nickel plated




gold plated




copper plated
(may age naturally)

Pendant



Chandelier



Floor lamp






Table lamp



Wall sconce




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Doodle pendant light


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code		Price €
nickel plated	white	clear cord + steel cable	G4 led	2W	no	0J80SE7C8FL	CE ENEC CB	565
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J80SE7C8FD	CE ENEC	710
black nickel plated	white	clear cord + steel cable	G4 led	2W	no	0J80SE9C8FL	CE ENEC CB	600
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J80SE9C8FD	CE ENEC	735
gold plated	white	clear cord + steel cable	G4 led	2W	no	0J80SL6C8FL	CE ENEC CB	625
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J80SL6C8FD	CE ENEC	765
copper plated (may age naturally)	white	clear cord + steel cable	G4 led	2W	no	0J80SL5C8FL	CE ENEC CB	625
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J80SL5C8FD	CE ENEC	765

G4 led light bulbs are not included
On site minimum adjustable overall height 45 cm


1,4 | 2,4 36x31x30 cm

Doodle chandelier

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	white	clear cord + steel cable	G4 dimmable led	5 × 2W	IGBT	0J93SE7C8F	CE ENEC 1.970
			G4 dimmable led	5 × 2W	1-10V PWM	0J93SE7C8FL	CE ENEC CB 1.970
			G4 dimmable led	5 × 2W	DALI	0J93SE7C8FD	CE ENEC 2.120
black nickel plated	white	clear cord + steel cable	G4 dimmable led	5 × 2W	IGBT	0J93SE9C8F	CE ENEC 2.180
			G4 dimmable led	5 × 2W	1-10V PWM	0J93SE9C8FL	CE ENEC CB 2.180
			G4 dimmable led	5 × 2W	DALI	0J93SE9C8FD	CE ENEC 2.320
gold plated	white	clear cord + steel cable	G4 dimmable led	5 × 2W	IGBT	0J93SL6C8F	CE ENEC 2.600
			G4 dimmable led	5 × 2W	1-10V PWM	0J93SL6C8FL	CE ENEC CB 2.600
			G4 dimmable led	5 × 2W	DALI	0J93SL6C8FD	CE ENEC 2.750

G4 led light bulbs are not included
On site minimum adjustable overall height 60 cm


5

10


60x60x60 cm

Doodle vertical chandelier


Body



Canopy



Canopy for DALI | CB version



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 white	clear cord + steel cable	G4 dimmable led	6 × 2W	IGBT	0J87SE7C8F	CE ENEC 2.960
			G4 dimmable led	6 × 2W	1-10V PWM	0J87SE7C8FL	CE ENEC CB 2.960
			G4 dimmable led	6 × 2W	DALI	0J87SE7C8FD	CE ENEC 3.240
 black nickel plated	 white	clear cord + steel cable	G4 dimmable led	6 × 2W	IGBT	0J87SE9C8F	CE ENEC 3.100
			G4 dimmable led	6 × 2W	1-10V PWM	0J87SE9C8FL	CE ENEC CB 3.100
			G4 dimmable led	6 × 2W	DALI	0J87SE9C8FD	CE ENEC 3.380
 gold plated	 white	clear cord + steel cable	G4 dimmable led	6 × 2W	IGBT	0J87SL6C8F	CE ENEC 3.240
			G4 dimmable led	6 × 2W	1-10V PWM	0J87SL6C8FL	CE ENEC CB 3.240
			G4 dimmable led	6 × 2W	DALI	0J87SL6C8FD	CE ENEC 3.520
 copper plated (may age naturally)	 white	clear cord + steel cable	G4 dimmable led	6 × 2W	IGBT	0J87SL5C8F	CE ENEC 3.240
			G4 dimmable led	6 × 2W	1-10V PWM	0J87SL5C8FL	CE ENEC CB 3.240
			G4 dimmable led	6 × 2W	DALI	0J87SL5C8FD	CE ENEC 3.520

G4 led light bulbs are not included
On site minimum adjustable overall height 150 cm


 7,5

 10


 162×35×35 cm

Doodle linear chandelier


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 nickel plated	clear cord + steel cable	G4 dimmable led	6 × 2W	IGBT	0J81SE7C8F	CE ENEC 2.960
			G4 dimmable led	6 × 2W	1-10V PWM	0J81SE7C8FL	CE ENEC CB 2.960
			G4 dimmable led	6 × 2W	DALI	0J81SE7C8FD	CE ENEC 3.240
 black nickel plated	 black nickel plated	clear cord + steel cable	G4 dimmable led	6 × 2W	IGBT	0J81SE9C8F	CE ENEC 3.100
			G4 dimmable led	6 × 2W	1-10V PWM	0J81SE9C8FL	CE ENEC CB 3.100
			G4 dimmable led	6 × 2W	DALI	0J81SE9C8FD	CE ENEC 3.380
 gold plated	 gold plated	clear cord + steel cable	G4 dimmable led	6 × 2W	IGBT	0J81SL6C8F	CE ENEC 3.240
			G4 dimmable led	6 × 2W	1-10V PWM	0J81SL6C8FL	CE ENEC CB 3.240
			G4 dimmable led	6 × 2W	DALI	0J81SL6C8FD	CE ENEC 3.520
 copper plated (may age naturally)	 copper plated (may age naturally)	clear cord + steel cable	G4 dimmable led	6 × 2W	IGBT	0J81SL5C8F	CE ENEC 3.240
			G4 dimmable led	6 × 2W	1-10V PWM	0J81SL5C8FL	CE ENEC CB 3.240
			G4 dimmable led	6 × 2W	DALI	0J81SL5C8FD	CE ENEC 3.520

G4 led light bulbs are not included
On site minimum adjustable overall height 50 cm


 7,5

 10

 162×35×35 cm

Doodle floor lamp

Body



Diffuser	Base	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 nickel plated	clear	G4 led	6 × 1,2W	no	0J86PE7C8F	CE ENEC 3.310
 black nickel plated	 black nickel plated	clear	G4 led	6 × 1,2W	no	0J86PE9C8F	CE ENEC 3.450
 gold plated	 gold plated	clear	G4 led	6 × 1,2W	no	0J86PL6C8F	CE ENEC 3.800
 copper (may age naturally)	 copper (may age naturally)	clear	G4 led	6 × 1,2W	no	0J86PL5C8F	CE ENEC 3.800

G4 led light bulbs are not included



16




21



191×46×46 cm

Doodle table lamp

Body



Diffuser	Base	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	-	clear	G4 led	2W	no	0J84BE7C8F	CE ENEC 565
 black nickel plated	-	clear	G4 led	2W	no	0J84BE9C8F	CE ENEC 600
 gold plated	-	clear	G4 led	2W	no	0J84BL6C8F	CE ENEC 625
 copper (may age naturally)	-	clear	G4 led	2W	no	0J84BL5C8F	CE ENEC 625

G4 led light bulbs are not included

 1,2

 2




 36x31x30 cm

Doodle wall sconce

Body

Canopy

Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear	G4 led	2W	no	0J82AE7C8FL	CE ENEC CB 565
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J82AE7C8FD*	CE ENEC 710
black nickel plated	black nickel plated	clear	G4 led	2W	no	0J82AE9C8FL	CE ENEC CB 600
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J82AE9C8FD*	CE ENEC 740
gold plated	gold plated	clear	G4 led	2W	no	0J82AL6C8FL	CE ENEC CB 625
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J82AL6C8FD*	CE ENEC 765
copper (may age naturally)	copper (may age naturally)	clear	G4 led	2W	no	0J82AL5C8FL	CE ENEC CB 625
			G4 dimmable led	2W	100kΩ 0/1-10V PUSH - DALI	0J82AL5C8FD*	CE ENEC 765

G4 led light bulbs are not included

1,8
* 2,2

2,4
* 3

36x31x30 cm
* 36x31x30 cm





Material

Brass

Finish

Body

Ceiling attachment




polished brass




white

Legend




Suspended sculpture



Dragon round suspended sculpture | 4S

Body



Finish	Ceiling attachment	Cord	Code	Price €
 polished brass	 white	steel cable	0E04SE8N5O	€€ 6.200

The sculpture does not have integrated lighting
On site minimum adjustable overall height 50 cm



2,6




18



83x78x95 cm

Dragon linear suspended sculpture | 10S

Body



Finish	Ceiling attachment	Cord	Code	Price €
 polished brass	 white	steel cable	0E02SE8N5O	€€ 15.500

The sculpture does not have integrated lighting
On site minimum adjustable overall height 55 cm



6,4




58



90x70x65 cm

Dragon round suspended sculpture | 11M

Body




Finish	Ceiling attachment	Cord	Code	Price €
 polished brass	 white	steel cable	0E03SE8N5O	€€ 37.000

The sculpture does not have integrated lighting
On site minimum adjustable overall height 115 cm

 34 |  174  57×147×143 cm

Dragon linear suspended sculpture | 23M

Body




Finish	Ceiling attachment	Cord	Code	Price €
 polished brass	 white	steel cable	0E05SE8N5O	€€ 75.000

The sculpture does not have integrated lighting
On site minimum adjustable overall height 130 cm






 69 |  210  205×160×166 cm

Dragon | Bespoke

Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

Body	Type modules and the number	Size	
	☐ small  Qty ☐ medium  Qty	☐ round  H max cm Ø max cm ☐ linear  H max cm D max cm L max cm	
Height	Suspended sculpture	Finish ceiling attachment	
	 H max cm	☐ white ☐ black ☐ other	
Additional information			

*For information about canopy types see page 194



Materials

Brass chains and metal structure plated

Finishes

Diffuser

Canopy



nickel plated



white



black nickel
plated




brushed bronze




gold plated

Legend



Chandelier





Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Epoque vertical chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code		Price €
 nickel plated	 white	clear cord + steel cable	integrated led	12 x 2,1W 2844 lm 3000K	0/1-10V PUSH DALI	0G91SE7C8F	CE ENEC	19.500
				12 x 2,1W 2676 lm 2700K	0/1-10V PUSH DALI	0G91SE7C8FW	CE ENEC	19.500
 black nickel plated	 white	clear cord + steel cable	integrated led	12 x 2,1W 2844 lm 3000K	0/1-10V PUSH DALI	0G91SE9C8F	CE ENEC	21.500
				12 x 2,1W 2676 lm 2700K	0/1-10V PUSH DALI	0G91SE9C8FW	CE ENEC	21.500
 brushed bronze	 white	clear cord + steel cable	integrated led	12 x 2,1W 2844 lm 3000K	0/1-10V PUSH DALI	0G91SF7C8F	CE ENEC	23.000
				12 x 2,1W 2676 lm 2700K	0/1-10V PUSH DALI	0G91SF7C8FW	CE ENEC	23.000
 gold plated	 white	clear cord + steel cable	integrated led	12 x 2,1W 2844 lm 3000K	0/1-10V PUSH DALI	0G91SL6C8F	CE ENEC	24.000
				12 x 2,1W 2676 lm 2700K	0/1-10V PUSH DALI	0G91SL6C8FW	CE ENEC	24.000

On site minimum adjustable overall height 215 cm



14,5




55




196x50x71 cm

Epoque chandelier


Body



Top view



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code		Price €
nickel plated	white	clear cord + steel rope	integrated led	20 × 2,1W 4740 lm 3000K	PUSH DALI	0G90SE7C8F	CE ENEC	26.000
				20 × 2,1W 4460 lm 2700K	PUSH DALI	0G90SE7C8FW	CE ENEC	26.000
black nickel plated	white	clear cord + steel rope	integrated led	20 × 2,1W 4740 lm 3000K	PUSH DALI	0G90SE9C8F	CE ENEC	35.000
				20 × 2,1W 4460 lm 2700K	PUSH DALI	0G90SE9C8FW	CE ENEC	35.000
brushed bronze	white	clear cord + steel rope	integrated led	20 × 2,1W 4740 lm 3000K	PUSH DALI	0G90SF7C8F	CE ENEC	37.000
				20 × 2,1W 4460 lm 2700K	PUSH DALI	0G90SF7C8FW	CE ENEC	37.000
gold plated	white	clear cord + steel rope	integrated led	20 × 2,1W 4740 lm 3000K	PUSH DALI	0G90SL6C8F	CE ENEC	39.000
				20 × 2,1W 4460 lm 2700K	PUSH DALI	0G90SL6C8FW	CE ENEC	39.000

Not adjustable on site

36

96

155×95×139 cm

Etoile | Design Christian Lava



Material

Metal

Finishes

Diffuser



nickel plated

Canopy




nickel plated




white


Legend




Pendant



Chandelier



Wall sconce




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Etoile pendant light


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 halogen	20W	IGBT TRIAC	0P05SE7C8F	CE ENEC 560
nickel plated	white	clear	G4 led	2W	no	0P05SE7C8FL	CE ENEC CB 560
			G4 dimmable led or G4 halogen	3W or 10W	DALI	0P05SE7C8FD*	CE ENEC 670

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 40 cm


1 * 2 | 2 * 2,8 30x30x30 cm

Etoile linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 halogen	8 × 20W	IGBT TRIAC	0P04SE7C8F	CE ENEC 2.500
nickel plated	nickel plated	clear	G4 led	8 × 2W	no	0P04SE7C8FL	CE ENEC CB 2.500
			G4 dimmable led	8 × 2W	DALI	0P04SE7C8FLD	CE ENEC 2.500

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 40 cm


9 | 12 162x35x35 cm

Etoile chandelier

Body




Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 halogen	8 × 10W 8 × 20W	IGBT TRIAC	0P01SE7C8F	CE ENEC 3.900
 nickel plated	 nickel plated	clear cord + steel cable	G4 dimmable led	16 × 1,2W	1-10V PWM	0P01SE7C8FL	CE ENEC CB 3.900
			G4 dimmable led	16 × 1,2W	100kΩ 0/1-10V PUSH - DALI	0P01SE7C8FLD	CE ENEC 3.900

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 40 cm




Etoile wall sconce

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 nickel plated	-	G4 dimmable led or G4 halogen	6 × 2W or 6 × 10W	IGBT	0P03AE7C8F	CE ENEC 995
			G4 led	6 × 2W	no	0P03AE7C8FL	CE ENEC CB 995

G4 led and G4 halogen light bulbs are not included





Material

Clear glass

Finishes


Diffuser

-  white | clear glass
-  silver plated | clear glass
-  gold plated | clear glass


Canopy

-  white
-  silver plated
-  gold plated


Legend



Pendants



Wall sconce





Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Frame small cylinder pendant light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
white clear glass	white	clear	E14 led	4W	all systems	0Q01SE8A9F	CE ENEC 570
silver plated clear glass	silver plated	clear	E14 led	4W	all systems	0Q01SG7A9F	CE ENEC 725
gold plated clear glass	gold plated	clear	E14 led	4W	all systems	0Q01SL6A9F	CE ENEC 725



E14 led light bulbs are not included
On site minimum adjustable overall height 95 cm

1,2 | 2,5 65×27×24 cm

Frame large cylinder pendant light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
white clear glass	white	clear	E14 led	4W	all systems	0Q02SE8A9F	CE ENEC 675
silver plated clear glass	silver plated	clear	E14 led	4W	all systems	0Q02SG7A9F	CE ENEC 990
gold plated clear glass	gold plated	clear	E14 led	4W	all systems	0Q02SL6A9F	CE ENEC 990



E14 led light bulbs are not included
On site minimum adjustable overall height 95 cm

1,8 | 3 65×27×24 cm

Frame cone pendant light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 white clear glass	 white	clear	E14 led	4W	all systems	0Q03SE8A9F	CE ENEC 940
 silver plated clear glass	 silver plated	clear	E14 led	4W	all systems	0Q03SG7A9F	CE ENEC 1.160
 gold plated clear glass	 gold plated	clear	E14 led	4W	all systems	0Q03SL6A9F	CE ENEC 1.160



E14 led light bulbs are not included
On site minimum adjustable overall height 95 cm

 1,4 |  3,6  77x35x26 cm

Frame wall sconce

Body


Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 white clear glass	 white	-	G9 led	3,5W	all systems	0Q04AE8A9F	CE ENEC 605
 silver plated clear glass	 silver plated	-	G9 led	3,5W	all systems	0Q04AG7A9F	CE ENEC 795
 gold plated clear glass	 gold plated	-	G9 led	3,5W	all systems	0Q04AL6A9F	CE ENEC 795

E14 led light bulbs are not included

 1,2 |  2,5  49x41x19 cm



Materials

Brass

Finishes

Diffuser

Canopy



nickel plated



white




gold plated




matte walnut

Legend



Chandelier




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Gaia linear chandelier

Body




Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated  white		clear cord + steel cable	integrated led	12 x 1,5W 2088 lm 3000K	1-10V PUSH	0G41SE7C8F	CE ENEC 3.800
			integrated led	12 x 1,5W 1968 lm 2700K	1-10V PUSH	0G41SE7C8FW	CE ENEC 3.800
			integrated led	12 x 1,5W 2088 lm 3000K	DALI	0G41SE7C8FD	CE ENEC 3.940
			integrated led	12 x 1,5W 1968 lm 2700K	DALI	0G41SE7C8FWD	CE ENEC 3.940
 gold plated  white		clear cord + steel cable	integrated led	12 x 1,5W 2088 lm 3000K	1-10V PUSH	0G41SL6C8F	CE ENEC 4.760
			integrated led	12 x 1,5W 1968 lm 2700K	1-10V PUSH	0G41SL6C8FW	CE ENEC 4.760
			integrated led	12 x 1,5W 2088 lm 3000K	DALI	0G41SL6C8FD	CE ENEC 4.900
			integrated led	12 x 1,5W 1968 lm 2700K	DALI	0G41SL6C8FWD	CE ENEC 4.900
 matte walnut  white		clear cord + steel cable	integrated led	12 x 1,5W 2088 lm 3000K	1-10V PUSH	0G41SP2C8F	CE ENEC 4.850
			integrated led	12 x 1,5W 1968 lm 2700K	1-10V PUSH	0G41SP2C8FW	CE ENEC 4.850
			integrated led	12 x 1,5W 2088 lm 3000K	DALI	0G41SP2C8FD	CE ENEC 4.980
			integrated led	12 x 1,5W 1968 lm 2700K	DALI	0G41SP2C8FWD	CE ENEC 4.980

On site minimum adjustable overall height 50 cm
Please note that due to natural wood properties, the shade of each chandelier in matte wood may be slightly different




Gaia double linear chandelier


Body



Top view



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated	 white	clear cord + steel cable	integrated led	24 × 1,5W 4176 lm 3000K	0/1-10V PUSH DALI	OG40SE7C8F	CE ENEC 7.550
			integrated led	24 × 1,5W 3936 lm 2700K	0/1-10V PUSH DALI	OG40SE7C8FW	CE ENEC 7.550
 gold plated	 white	clear cord + steel cable	integrated led	24 × 1,5W 4176 lm 3000K	0/1-10V PUSH DALI	OG40SL6C8F	CE ENEC 9.400
			integrated led	24 × 1,5W 3936 lm 2700K	0/1-10V PUSH DALI	OG40SL6C8FW	CE ENEC 9.400
 matte walnut	 white	clear cord + steel cable	integrated led	24 × 1,5W 4176 lm 3000K	0/1-10V PUSH DALI	OG40SP2C8F	CE ENEC 9.600
			integrated led	24 × 1,5W 3936 lm 2700K	0/1-10V PUSH DALI	OG40SP2C8FW	CE ENEC 9.600

On site minimum adjustable overall height 50 cm
Please note that due to natural wood properties, the shade of each chandelier in matte wood may be slightly different

 7,6 |  11  107×23×26 cm

Gaia | Bespoke

Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

	Size	Finish
Canopy	 _____ cm ☐	☐ white ☐ black ☐ other _____
	 _____ cm ☐	
	 _____ cm ☐	
Based on your request, we will provide a solution that best meets your needs		

	Chandelier height
Height	 ☐
	 ☐

	Finish
Diffuser	☐ black ☐ white ☐ other _____

	Voltage	Type	Dimming
Light Source	☐ 120V ☐ 230V	☐ 3000K ☐ 2700K	☐ IGBT ☐ 1-10V ☐ TRIAC ☐ PUSH ☐ DALI ☐ other _____

Additional information



Material

Stainless steel or brass

Finish

Body



stainless steel



brass

Ceiling attachment




nickel plated




gold plated


Legend



Suspended linear sculpture




Suspended vertical sculpture




Genesis linear suspended sculpture

Body




Finish	Ceiling attachment	Cord	Code		Price €
 stainless steel	 nickel plated	air craft nylon cable	0B55SE7H90	€€	6.850
 brass	 gold plated	air craft nylon cable	0B55SL6N50	€€	8.200

On site adjustable overall height from 100 to 140 cm
On site adjustable overall length from 130 to 170 cm



Genesis double linear suspended sculpture

Body




Finish	Ceiling attachment	Cord	Code		Price €
 stainless steel	 nickel plated	air craft nylon cable	0B56SE7H90	€€	13.700
 brass	 gold plated	air craft nylon cable	0B56SL6N50	€€	16.500

On site adjustable overall height from 100 to 140 cm
On site adjustable overall length from 240 to 300 cm




Genesis small vertical suspended sculpture

Body




Finish	Ceiling attachment	Cord	Code		Price €
 stainless steel	 nickel plated	air craft nylon cable	0B61SE7H90	€€	750
 brass	 gold plated	air craft nylon cable	0B61SL6N50	€€	890

On site adjustable overall height 70 cm




Genesis vertical suspended sculpture

Body



Finish	Ceiling attachment	Cord	Code		Price €
 stainless steel	 nickel plated	air craft nylon cable	0B60SE7H90	€€	6.850
 brass	 gold plated	air craft nylon cable	0B60SL6N50	€€	8.200

On site adjustable sculpture height from 140 to 180 cm
On site adjustable overall height from 240 to 300 cm



Harpe | Design Christian Lava



Material

Metal

Finishes

Diffuser

Canopy



matte pearl



white




matte black nickel




matte red gold


Legend



Pendants



Multi light pendant





Harpe pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
 matte pearl	 white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE CB 0W011SE8B5FKK	495
				2,1W 223 lm 2700K - 700mA	see power supply options	CE CB 0W011SE8B5FWKK	495
 matte black nickel	 white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE CB 0W011SE8B6FKK	495
				2,1W 223 lm 2700K - 700mA	see power supply options	CE CB 0W011SE8B6FWKK	495
 matte red gold	 white	champagne fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE CB 0W011SE8B8FKK	495
				2,1W 223 lm 2700K - 700mA	see power supply options	CE CB 0W011SE8B8FWKK	495

On site minimum adjustable over all height 35 cm

 0,4 |  0,7  32x24x17 cm

Power supply options


INTEGRATED LED 3000K

Dimming		Code	Price €
IGBT / TRIAC	max 4 pendants	R1630000	30 (net)
1-10V / PUSH	min 2 max 8 pendants	R1110000	55 (net)
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R1070000	95 (net)

Harpe pendant light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €	
		grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	CE	0W011SE8B5FT	545
				2,1W 223 lm 2700K - 700mA	IGBT TRIAC	CE	0W011SE8B5FTW	545
		grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	CE	0W011SE8B6FT	545
				2,1W 223 lm 2700K - 700mA	IGBT TRIAC	CE	0W011SE8B6FTW	545
		champagne fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	CE	0W011SE8B8FT	545
				2,1W 223 lm 2700K - 700mA	IGBT TRIAC	CE	0W011SE8B8FTW	545

On site minimum adjustable over all height 40 cm

 0,5

 0,8


 32x24x17 cm

Harpe pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
		grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE CB 0W012SE8B5FKK	715
				2,1W 223 lm 2700K - 700mA	see power supply options	CE CB 0W012SE8B5FWKK	715
		grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE CB 0W012SE8B6FKK	715

Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
 matte black nickel	 white	grey fabric	integrated led	2,1W 223 lm 2700K - 700mA	see power supply options	CE CB 0W012SE8B6FWKK	715
 matte red gold	 white	champagne fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE CB 0W012SE8B8FKK	715
				2,1W 223 lm 2700K - 700mA	see power supply options	CE CB 0W012SE8B8FWKK	715

On site minimum adjustable over all height 55 cm

 1,4 |  1,8  60x30x16 cm

Power supply options



INTEGRATED LED 3000K

Dimming	Code	Price €
IGBT / TRIAC	R1630000	30 (net)
1-10V / PUSH	R1110000	55 (net)
0/1-10V / PUSH / DALI	R1070000	95 (net)

Harpe pendant light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 matte pearl	 white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	CE 0W012SE8B5FT	765
				2,1W 223 lm 2700K - 700mA	IGBT TRIAC	CE 0W012SE8B5FTW	765
 matte black nickel	 white	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	CE 0W012SE8B6FT	765
				2,1W 223 lm 2700K - 700mA	IGBT TRIAC	CE 0W012SE8B6FTW	765
 matte red gold	 white	champagne fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	CE 0W012SE8B8FT	765
				2,1W 223 lm 2700K - 700mA	IGBT TRIAC	CE 0W012SE8B8FTW	765

On site minimum adjustable over all height 60 cm


 1,5 |  2  60x30x16 cm

Harpe pendant light

Body

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming		Code	Price €
		grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE CB	0W013SE8B5FKK	935
				2,1W 223 lm 2700K - 700mA	see power supply options	CE CB	0W013SE8B5FWKK	935
		grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE CB	0W013SE8B6FKK	935
				2,1W 223 lm 2700K - 700mA	see power supply options	CE CB	0W013SE8B6FWKK	935
		champagne fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	CE CB	0W013SE8B8FKK	935
				2,1W 223 lm 2700K - 700mA	see power supply options	CE CB	0W013SE8B8FWKK	935

On site minimum adjustable over all height 75 cm

 2,2 |  2,7  77x35x27 cm


Power supply options

INTEGRATED LED 3000K


Dimming		Code	Price €
IGBT / TRIAC	max 4 pendants	R1630000	30 (net)
1-10V / PUSH	min 2 max 8 pendants	R1110000	55 (net)
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R1070000	95 (net)

Harpe pendant light

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
		grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	€€	0W013SE8B5FT	985
				2,1W 223 lm 2700K - 700mA	IGBT TRIAC	€€	0W013SE8B5FTW	985
		grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	€€	0W013SE8B6FT	985
				2,1W 223 lm 2700K - 700mA	IGBT TRIAC	€€	0W013SE8B6FTW	985
		champagne fabric	integrated led	2,1W 237 lm 3000K - 700mA	IGBT TRIAC	€€	0W013SE8B8FT	985
				2,1W 223 lm 2700K - 700mA	IGBT TRIAC	€€	0W013SE8B8FTW	985

On site minimum adjustable over all height 80 cm




Harpe 2 round light pendant

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
		grey fabric	integrated led	2 x 2,1W 474 lm 3000K - 700mA	IGBT TRIAC	€€	0W024SE8B5FT	1.300
				2 x 2,1W 446 lm 2700K - 700mA	IGBT TRIAC	€€	0W024SE8B5FTW	1.300
		grey fabric	integrated led	2 x 2,1W 474 lm 3000K - 700mA	IGBT TRIAC	€€	0W024SE8B6FT	1.300

Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 matte black nickel	 white	grey fabric	integrated led	2 × 2,1W 446 lm 2700K - 700mA	IGBT TRIAC	CE	0W024SE8B6FTW	1.300
 matte red gold	 white	champagne fabric	integrated led	2 × 2,1W 474 lm 3000K - 700mA	IGBT TRIAC	CE	0W024SE8B8FT	1.300
				2 × 2,1W 446 lm 2700K - 700mA	IGBT TRIAC	CE	0W024SE8B8FTW	1.300


On site minimum adjustable over all height 95 cm

 3,8 |  4,5  65×27×25 cm

Harpe 2 round light pendant

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 matte pearl	 white	grey fabric	integrated led	2 × 2,1W 474 lm 3000K - 700mA	IGBT TRIAC	CE	0W025SE8B5FT	1.860
				2 × 2,1W 446 lm 2700K - 700mA	IGBT TRIAC	CE	0W025SE8B5FTW	1.860
 matte black nickel	 white	grey fabric	integrated led	2 × 2,1W 474 lm 3000K - 700mA	IGBT TRIAC	CE	0W025SE8B6FT	1.860
				2 × 2,1W 446 lm 2700K - 700mA	IGBT TRIAC	CE	0W025SE8B6FTW	1.860
 matte red gold	 white	champagne fabric	integrated led	2 × 2,1W 474 lm 3000K - 700mA	IGBT TRIAC	CE	0W025SE8B8FT	1.860
				2 × 2,1W 446 lm 2700K - 700mA	IGBT TRIAC	CE	0W025SE8B8FTW	1.860



On site minimum adjustable over all height 115 cm

 5,6 |  6,3  77×35×27 cm

Harpe 3 round light pendant

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 matte pearl	 white	grey fabric	integrated led	3 x 2,1W 711 lm 3000K - 700mA	IGBT TRIAC	€€	0W034SE8B5FT	1.860
				3 x 2,1W 669 lm 2700K - 700mA	IGBT TRIAC	€€	0W034SE8B5FTW	1.860
 matte black nickel	 white	grey fabric	integrated led	3 x 2,1W 711 lm 3000K - 700mA	IGBT TRIAC	€€	0W034SE8B6FT	1.860
				3 x 2,1W 669 lm 2700K - 700mA	IGBT TRIAC	€€	0W034SE8B6FTW	1.860
 matte red gold	 white	champagne fabric	integrated led	3 x 2,1W 711 lm 3000K - 700mA	IGBT TRIAC	€€	0W034SE8B8FT	1.860
				3 x 2,1W 669 lm 2700K - 700mA	IGBT TRIAC	€€	0W034SE8B8FTW	1.860



On site minimum adjustable over all height 110 cm



Harpe 3 round light pendant

Body


Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 matte pearl	 white	grey fabric	integrated led	3 x 2,1W 711 lm 3000K - 700mA	IGBT TRIAC	€€	0W037SE8B5FT	2.200
				3 x 2,1W 669 lm 2700K - 700mA	IGBT TRIAC	€€	0W037SE8B5FTW	2.200
 matte black nickel	 white	grey fabric	integrated led	3 x 2,1W 711 lm 3000K - 700mA	IGBT TRIAC	€€	0W037SE8B6FT	2.200

Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 matte black nickel	 white	grey fabric	integrated led	3 × 2,1W 669 lm 2700K - 700mA	IGBT TRIAC	€€	0W037SE8B6FTW	2.200
 matte red gold	 white	champagne fabric	integrated led	3 × 2,1W 711 lm 3000K - 700mA	IGBT TRIAC	€€	0W037SE8B8FT	2.200
				3 × 2,1W 669 lm 2700K - 700mA	IGBT TRIAC	€€	0W037SE8B8FTW	2.200


On site minimum adjustable over all height 130 cm



Harpe 5 round light pendant


Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 matte pearl	 white	grey fabric	integrated led	5 × 2,1W 1185 lm 3000K - 700mA	IGBT TRIAC	€€	0W057SE8B5FT	3.900
				5 × 2,1W 1115 lm 2700K - 700mA	IGBT TRIAC	€€	0W057SE8B5FTW	3.900
 matte black nickel	 white	grey fabric	integrated led	5 × 2,1W 1185 lm 3000K - 700mA	IGBT TRIAC	€€	0W057SE8B6FT	3.900
				5 × 2,1W 1115 lm 2700K - 700mA	IGBT TRIAC	€€	0W057SE8B6FTW	3.900
 matte red gold	 white	champagne fabric	integrated led	5 × 2,1W 1185 lm 3000K - 700mA	IGBT TRIAC	€€	0W057SE8B8FT	3.900
				5 × 2,1W 1115 lm 2700K - 700mA	IGBT TRIAC	€€	0W057SE8B8FTW	3.900


On site minimum adjustable over all height 130 cm



Harpe 8 round light pendant


Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 matte pearl	 white	grey fabric	integrated led	8 x 2,1W 1896 lm 3000K - 700mA	IGBT TRIAC	CE 0W087SE8B5FT	7.400
				8 x 2,1W 1784 lm 2700K - 700mA	IGBT TRIAC	CE 0W087SE8B5FTW	7.400
 matte black nickel	 white	grey fabric	integrated led	8 x 2,1W 1896 lm 3000K - 700mA	IGBT TRIAC	CE 0W087SE8B6FT	7.400
				8 x 2,1W 1784 lm 2700K - 700mA	IGBT TRIAC	CE 0W087SE8B6FTW	7.400
 matte red gold	 white	champagne fabric	integrated led	8 x 2,1W 1896 lm 3000K - 700mA	IGBT TRIAC	CE 0W087SE8B8FT	7.400
				8 x 2,1W 1784 lm 2700K - 700mA	IGBT TRIAC	CE 0W087SE8B8FTW	7.400


On site minimum adjustable over all height 110 cm



Harpe 7 multi linear light pendant

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 matte pearl	 white	grey fabric	integrated led	7 x 2,1W 1659 lm 3000K - 700mA	IGBT TRIAC	CE 0W077SE8B5FR	6.500
				7 x 2,1W 1561 lm 2700K - 700mA	IGBT TRIAC	CE 0W077SE8B5FRW	6.500
 matte black nickel	 white	grey fabric	integrated led	7 x 2,1W 1659 lm 3000K - 700mA	IGBT TRIAC	CE 0W077SE8B6FR	6.500

Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 matte black nickel	 white	grey fabric	integrated led	7 × 2,1W 1561 lm 2700K - 700mA	IGBT TRIAC	CE	0W077SE8B6FRW	6.500
 matte red gold	 white	champagne fabric	integrated led	7 × 2,1W 1659 lm 3000K - 700mA	IGBT TRIAC	CE	0W077SE8B8FR	6.500
				7 × 2,1W 1561 lm 2700K - 700mA	IGBT TRIAC	CE	0W077SE8B8FRW	6.500

On site minimum adjustable over all height 130 cm



16



19





117x29x16 cm

Harpe 10 multi linear light pendant

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming		Code	Price €
 matte pearl	 white	grey fabric	integrated led	10 × 2,1W 2370 lm 3000K - 700mA	IGBT TRIAC	CE	0W107SE8B5FR	9.200
				10 × 2,1W 2230 lm 2700K - 700mA	IGBT TRIAC	CE	0W107SE8B5FRW	9.200
 matte black nickel	 white	grey fabric	integrated led	10 × 2,1W 2370 lm 3000K - 700mA	IGBT TRIAC	CE	0W107SE8B6FR	9.200
				10 × 2,1W 2230 lm 2700K - 700mA	IGBT TRIAC	CE	0W107SE8B6FRW	9.200
 matte red gold	 white	champagne fabric	integrated led	10 × 2,1W 2370 lm 3000K - 700mA	IGBT TRIAC	CE	0W107SE8B8FR	9.200
				10 × 2,1W 2230 lm 2700K - 700mA	IGBT TRIAC	CE	0W107SE8B8FRW	9.200

On site minimum adjustable over all height 120 cm



21




25






177x29x16 cm

Harpe | Bespoke

Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

	Size	Type *	Finish
Canopy	 _____ cm ☐	 _____ cm ☐	☐ white ☐ other _____
	 _____ cm ☐		
	Based on your request, we will provide a solution that best meets your needs		
Height	Pendant height min _____ cm max _____ cm		
	Type of pendants		
Diffuser	 29 ☐ matte pearl Qty _____ ☐ matte black nickel Qty _____ ☐ matte red gold Qty _____ ☐ other Qty _____	 48 ☐ matte pearl Qty _____ ☐ matte black nickel Qty _____ ☐ matte red gold Qty _____ ☐ other Qty _____	 69 ☐ matte pearl Qty _____ ☐ matte black nickel Qty _____ ☐ matte red gold Qty _____ ☐ other Qty _____
	Voltage		
Light Source	☐ 120V ☐ 230V	Type ☐ integrated led 3000K ☐ integrated led 2700K ☐ other _____	Dimming ☐ IGBT / TRIAC ☐ other _____

Additional information

I Lucci Argentati | Design Dodo Arslan



Material

Metal

Finishes

Diffuser



white polished



brushed nickel
plated



brushed gold
plated

Canopy



white polished




brushed nickel
plated




brushed gold
plated


Legend



Chandelier



Wall sconce




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

I Lucci Argentati small linear chandelier


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
white polished white polished	clear cord + steel cable		integrated led	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	0N82SM2C8FL	CE ENEC CB 4.650
			integrated led	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	0N82SM2C8FLW	CE ENEC CB 4.650
			integrated led	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	0N82SM2C8FLD	CE ENEC CB 4.790
			integrated led	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	0N82SM2C8FLWD	CE ENEC CB 4.790
brushed nickel plated brushed nickel plated	clear cord + steel cable		integrated led	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	0N82SH4C8FL	CE ENEC CB 5.050
			integrated led	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	0N82SH4C8FLW	CE ENEC CB 5.050
			integrated led	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	0N82SH4C8FLD	CE ENEC CB 5.200
			integrated led	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	0N82SH4C8FLWD	CE ENEC CB 5.200
brushed gold plated brushed gold plated	clear cord + steel cable		integrated led	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	0N82SL9C8FL	CE ENEC CB 6.600
			integrated led	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	0N82SL9C8FLW	CE ENEC CB 6.600
			integrated led	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	0N82SL9C8FLD	CE ENEC CB 6.750
			integrated led	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	0N82SL9C8FLWD	CE ENEC CB 6.750

On site minimum adjustable over all height 50 cm



4,2




14,5




155×46×22 cm

I Lucci Argentati medium linear chandelier


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 white polished  white polished	 white polished  white polished	clear cord + steel cable	integrated led	8 × 4,5W 5294 lm CRI 90 3000K	0-10V PWM	0N83SM2C8FL	CE ENEC CB 5.800
			integrated led	8 × 4,5W 4800 lm CRI 90 2700K	0-10V PWM	0N83SM2C8FLW	CE ENEC CB 5.800
			integrated led	8 × 4,5W 5294 lm CRI 90 3000K	PUSH DALI	0N83SM2C8FLD	CE ENEC CB 5.900
			integrated led	8 × 4,5W 4800 lm CRI 90 2700K	PUSH DALI	0N83SM2C8FLWD	CE ENEC CB 5.900
 brushed nickel plated  brushed nickel plated	 brushed nickel plated  brushed nickel plated	clear cord + steel cable	integrated led	8 × 4,5W 5294 lm CRI 90 3000K	0-10V PWM	0N83SH4C8FL	CE ENEC CB 5.950
			integrated led	8 × 4,5W 4800 lm CRI 90 2700K	0-10V PWM	0N83SH4C8FLW	CE ENEC CB 5.950
			integrated led	8 × 4,5W 5294 lm CRI 90 3000K	PUSH DALI	0N83SH4C8FLD	CE ENEC CB 6.100
			integrated led	8 × 4,5W 4800 lm CRI 90 2700K	PUSH DALI	0N83SH4C8FLWD	CE ENEC CB 6.100
 brushed gold plated  brushed gold plated	 brushed gold plated  brushed gold plated	clear cord + steel cable	integrated led	8 × 4,5W 5294 lm CRI 90 3000K	0-10V PWM	0N83SL9C8FL	CE ENEC CB 7.750
			integrated led	8 × 4,5W 4800 lm CRI 90 2700K	0-10V PWM	0N83SL9C8FLW	CE ENEC CB 7.750
			integrated led	8 × 4,5W 5294 lm CRI 90 3000K	PUSH DALI	0N83SL9C8FLD	CE ENEC CB 7.900
			integrated led	8 × 4,5W 4800 lm CRI 90 2700K	PUSH DALI	0N83SL9C8FLWD	CE ENEC CB 7.900

On site minimum adjustable overall height 50 cm


 7,2

 19


 205×40×40 cm

I Lucci Argentati large linear chandelier


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 white polished  white polished		clear cord + steel cable	integrated led	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0N81SM2C8FL	CE ENEC CB 6.995
			integrated led	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0N81SM2C8FLW	CE ENEC CB 6.995
			integrated led	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0N81SM2C8FLD	CE ENEC CB 7.150
			integrated led	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0N81SM2C8FLWD	CE ENEC CB 7.150
 brushed nickel plated  brushed nickel plated		clear cord + steel cable	integrated led	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0N81SH4C8FL	CE ENEC CB 7.600
			integrated led	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0N81SH4C8FLW	CE ENEC CB 7.600
			integrated led	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0N81SH4C8FLD	CE ENEC CB 7.700
			integrated led	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0N81SH4C8FLWD	CE ENEC CB 7.700
 brushed gold plated  brushed gold plated		clear cord + steel cable	integrated led	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0N81SL9C8FL	CE ENEC CB 9.850
			integrated led	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0N81SL9C8FLW	CE ENEC CB 9.850
			integrated led	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0N81SL9C8FLD	CE ENEC CB 10.000
			integrated led	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0N81SL9C8FLWD	CE ENEC CB 10.000

On site minimum adjustable overall height 55 cm



9




22



241x46x22 cm

I Lucci Argentati xlarge linear chandelier


Body



Canopy




Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 white polished	 white polished	clear cord + steel cable	integrated led	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0N80SM2C8FL	CE ENEC CB 9.700
			integrated led	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0N80SM2C8FLW	CE ENEC CB 9.700
			integrated led	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0N80SM2C8FLD	CE ENEC CB 9.850
			integrated led	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0N80SM2C8FLWD	CE ENEC CB 9.850
 brushed nickel plated	 brushed nickel plated	clear cord + steel cable	integrated led	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0N80SH4C8FL	CE ENEC CB 10.300
			integrated led	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0N80SH4C8FLW	CE ENEC CB 10.300
			integrated led	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0N80SH4C8FLD	CE ENEC CB 10.450
			integrated led	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0N80SH4C8FLWD	CE ENEC CB 10.450
 brushed gold plated	 brushed gold plated	clear cord + steel cable	integrated led	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0N80SL9C8FL	CE ENEC CB 12.650
			integrated led	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0N80SL9C8FLW	CE ENEC CB 12.650
			integrated led	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0N80SL9C8FLD	CE ENEC CB 12.750
			integrated led	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0N80SL9C8FLWD	CE ENEC CB 12.750

On site minimum adjustable overall height 60 cm






I Lucci Argentati wall sconce


Body

Canopy

Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 white polished  white polished	-	-	integrated led	2 x 4,5W 1323 lm CRI 90 3000K	no	ON85AM2C8FLB	CE ENEC 1.410
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	no	ON85AM2C8FLBW	CE ENEC 1.410
			integrated led	2 x 4,5W 1323 lm CRI 90 3000K	0/1-10V PUSH DALI	ON85AM2C8FLBD	CE ENEC CB 1.550
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	0/1-10V PUSH DALI	ON85AM2C8FLBWD	CE ENEC CB 1.550
 brushed nickel plated  brushed nickel plated	-	-	integrated led	2 x 4,5W 1323 lm CRI 90 3000K	no	ON85AH4C8FLB	CE ENEC 1.700
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	no	ON85AH4C8FLBW	CE ENEC 1.700
			integrated led	2 x 4,5W 1323 lm CRI 90 3000K	0/1-10V PUSH DALI	ON85AH4C8FLBD	CE ENEC CB 1.840
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	0/1-10V PUSH DALI	ON85AH4C8FLBWD	CE ENEC CB 1.840
 brushed gold plated  brushed gold plated	-	-	integrated led	2 x 4,5W 1323 lm CRI 90 3000K	no	ON85AL9C8FLB	CE ENEC 2.190
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	no	ON85AL9C8FLBW	CE ENEC 2.190
			integrated led	2 x 4,5W 1323 lm CRI 90 3000K	0/1-10V PUSH DALI	ON85AL9C8FLBD	CE ENEC CB 2.340
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	0/1-10V PUSH DALI	ON85AL9C8FLBWD	CE ENEC CB 2.340







Materials

Metal and PMMA

Finishes

Diffuser




matte white |
clear diffuser

Canopy




matte white

Legend




Iceberg chandelier

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 matte white clear diffuser	 matte white	clear cord + steel cable	E14 + E27 dimmable led	6 × 6W + 8W	all systems	0P60SE8A9F	CE ENEC 18.650

E14 led and E27 led light bulbs are not included
On site minimum adjustable overall height 150 cm

 41 |  4x 10
1x 13  4x 77x35x26,5 cm
1x 76x76x60 cm

Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Manta |

Design Dodo Arslan & Nicolas Terzani



Material

Clear crystal

Finishes

Diffuser available in

Canopy available in




clear crystal




white


Legend



Pendants



3 Light pendant




Bespoke



Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Manta pendant light

Body



Disc



DRIVER NOT INCLUDED

Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	white	clear cord + steel cable	integrated led	1,5W 135 lm 3000K	see power supply options	OK011E8A9FKK	CE ENEC CB 805
			integrated led	1,5W 115 lm 2700K	see power supply options	OK011E8A9FWKK	CE ENEC CB 805

Not suitable for sloped ceilings
On site minimum adjustable overall height 180 cm
Up to minimum 30 cm on request



2,2



2,8



32x24x17 cm


Power supply options

INTEGRATED LED 2700K or 3000K


Dimming		Code	Price €
not	max 3 pendants	R1040000	35 (net)
1-10V / PUSH	min 2 max 8 pendants	R1110000	55 (net)
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R1070000	95 (net)
IGBT / TRIAC	max 6 pendants	R1630000	30 (net)

Manta pendant light



Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	white	clear cord + steel cable	integrated led	1,5W 135 lm 3000K	no	OK011E8A9F	CE ENEC CB 840
			integrated led	1,5W 115 lm 2700K	no	OK011E8A9FW	CE ENEC CB 840


Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 white	clear cord + steel cable	integrated led	1,5W 135 lm 3000K	PUSH DALI	0K011E8A9FD	CE ENEC CB 1.130
			integrated led	1,5W 115 lm 2700K	PUSH DALI	0K011E8A9FWD	CE ENEC CB 1.130

Not suitable for sloped ceilings
On site minimum adjustable overall height 180 cm
Up to minimum 30 cm on request

 2,2 |  2,8  32x24x17 cm

Manta pendant light

Body Disc DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 white	clear cord + steel cable	integrated led	1,5W 135 lm 3000K	see power supply options	0K012E8A9FKK	CE ENEC CB 1.020
			integrated led	1,5W 115 lm 2700K	see power supply options	0K012E8A9FWKK	CE ENEC CB 1.020

Not suitable for sloped ceilings
On site minimum adjustable overall height 180 cm
Up to minimum 30 cm on request

 4,2 |  5,2  41x41x21 cm


Power supply options

INTEGRATED LED 2700K or 3000K


Dimming		Code	Price €
not	max 3 pendants	R1040000	35 (net)
1-10V / PUSH	min 2 max 8 pendants	R1110000	55 (net)
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R1070000	95 (net)
IGBT / TRIAC	max 6 pendants	R1630000	30 (net)

Manta pendant light


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal  white		clear cord + steel cable	integrated led	1,5W 135 lm 3000K	no	OK012E8A9F	CE ENEC CB 1.080
			integrated led	1,5W 115 lm 2700K	no	OK012E8A9FW	CE ENEC CB 1.080
			integrated led	1,5W 135 lm 3000K	PUSH DALI	OK012E8A9FD*	CE ENEC CB 1.350
			integrated led	1,5W 115 lm 2700K	PUSH DALI	OK012E8A9FWD*	CE ENEC CB 1.350


Not suitable for sloped ceilings
On site minimum adjustable overall height 180 cm
Up to minimum 30 cm on request

 4,2 |  5,2
* 6,2 | * 8


 41×41×21 cm
* 50×50×25 cm

Manta 3 light pendant

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal  white		clear cord + steel cable	integrated led	3 × 1,5W 405 lm 3000K	1-10V PUSH	OK031E8A9F	CE ENEC CB 2.520
			integrated led	3 × 1,5W 345 lm 2700K	1-10V PUSH	OK031E8A9FW	CE ENEC CB 2.520
			integrated led	3 × 1,5W 405 lm 3000K	DALI	OK031E8A9FD	CE ENEC CB 2.670
			integrated led	3 × 1,5W 345 lm 2700K	DALI	OK031E8A9FWD	CE ENEC CB 2.670


Not suitable for sloped ceilings
On site minimum adjustable overall height 170 cm
Up to minimum 70 cm on request

 7 |  8,4



 48×32×28 cm

Manta | Bespoke

Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

Canopy	Size	Type*	Finish
	 _____ cm ☐  _____ cm ☐  _____ cm ☐  _____ cm ☐ Based on your request, we will provide a solution that best meets your needs	 Standard ☐ available only with quick  Flush ☐ available only with quick  Disc ☐	☐ white ☐ other _____
Height	Pendant height min _____ cm max _____ cm		
Diffuser	Type of pendants		
	 Qty _____	 Qty _____	
Light Source	Voltage	Type	Dimming
	☐ 120V ☐ 230V	☐ integrated led 3000K ☐ integrated led 2700K ☐ other _____	☐ PUSH ☐ 0/1-10V ☐ DALI ☐ 1-10V ☐ other _____

Additional information



Materials

Clear Crystal
Metal

Finishes

Diffuser

Canopy



clear crystal



white



champagne crystal



cognac crystal



silver dust
crystal




gold crystal


IP Protection

IP65  on request


Legend



Pendants




Multi light pendant




Mizu pendant light

Body



Disc




DRIVER NOT INCLUDED

Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 white	clear	G4 led or G4 halogen	2W or 10W	see power supply options	0R01SE8A9FKK	CE ENEC 430
			G4 led	2W	see power supply options	0R01SE8A9FLKK	CE ENEC CB 430
			integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	0R01SE8A9FEKK	CE ENEC CB 460
			integrated led	1,5W 164 lm 2700K - 500mA	see power supply options	0R01SE8A9FEWKK	CE ENEC CB 460
 champagne crystal	 white	clear	G4 led or G4 halogen	2W or 10W	see power supply options	0R01SE8H1FKK	CE ENEC 440
			G4 led	2W	see power supply options	0R01SE8H1FLKK	CE ENEC CB 440
			integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	0R01SE8H1FEKK	CE ENEC CB 485
			integrated led	1,5W 164 lm 2700K - 500mA	see power supply options	0R01SE8H1FEWKK	CE ENEC CB 485
 cognac crystal	 white	clear	G4 led or G4 halogen	2W or 10W	see power supply options	0R01SE8H4FKK	CE ENEC 440
			G4 led	2W	see power supply options	0R01SE8H4FLKK	CE ENEC CB 440
			integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	0R01SE8H4FEKK	CE ENEC CB 485
			integrated led	1,5W 164 lm 2700K - 500mA	see power supply options	0R01SE8H4FEWKK	CE ENEC CB 485
 silver dust crystal	 white	clear	G4 led or G4 halogen	2W or 10W	see power supply options	0R01SE8F4FKK	CE ENEC 510
			G4 led	2W	see power supply options	0R01SE8F4FLKK	CE ENEC CB 510
			integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	0R01SE8F4FEKK	CE ENEC CB 570
			integrated led	1,5W 164 lm 2700K - 500mA	see power supply options	0R01SE8F4FEWKK	CE ENEC CB 570
 gold crystal	 white	clear	G4 led or G4 halogen	2W or 10W	see power supply options	0R01SE8A4FKK	CE ENEC 615

Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
 gold crystal	 white	clear	G4 led	2W	see power supply options	0R01SE8A4FLKK	CE ENEC CB 615
			integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	0R01SE8A4FEKK	CE ENEC CB 650
			integrated led	1,5W 164 lm 2700K - 500mA	see power supply options	0R01SE8A4FEWKK	CE ENEC CB 650

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 20 cm



Power supply options

G4 HALOGEN

Dimming		Code	Price €
IGBT	max 5 pendants	R1030000	35 (net)
DALI	max 5 pendants	KITELETDALIHALO70	175 (net)

G4 LED


Dimming		Code	Price €
IGBT	min 2 max 21 pendants	R1030000	35 (net)
100kΩ 0/1-10V PUSH - DALI	max 25 pendants	KITELETDALILED60	150 (net)
	max 43 pendants	KITELETDALILED100	175 (net)

INTEGRATED LED 2700K or 3000K


Dimming		Code	Price €
1-10V / PUSH	min 2 max 8 pendants	R1110000	55 (net)
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R1070000	95 (net)

Mizu pendant light


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
clear crystal	white	clear	G4 halogen	10W	IGBT TRIAC	0R01SE8A9F	CE ENEC 485
			G4 dimmable led or G4 halogen	3W or 10W	DALI	0R01SE8A9FD*	CE ENEC 620
			integrated led	1,5W 174 lm 3000K	no	0R01SE8A9FE	CE ENEC 520
			integrated led	1,5W 164 lm 2700K	no	0R01SE8A9FEW	CE ENEC 520
champagne crystal	white	clear	G4 halogen	10W	IGBT TRIAC	0R01SE8H1F	CE ENEC 505
			G4 dimmable led or G4 halogen	3W or 10W	DALI	0R01SE8H1FD*	CE ENEC 635
			integrated led	1,5W 174 lm 3000K	no	0R01SE8H1FE	CE ENEC 530
			integrated led	1,5W 164 lm 2700K	no	0R01SE8H1FEW	CE ENEC 530
cognac crystal	white	clear	G4 halogen	10W	IGBT TRIAC	0R01SE8H4F	CE ENEC 505
			G4 dimmable led or G4 halogen	3W or 10W	DALI	0R01SE8H4FD*	CE ENEC 635
			integrated led	1,5W 174 lm 3000K	no	0R01SE8H4FE	CE ENEC 530
			integrated led	1,5W 164 lm 2700K	no	0R01SE8H4FEW	CE ENEC 530
silver dust crystal	white	clear	G4 halogen	10W	IGBT TRIAC	0R01SE8F4F	CE ENEC 550
			G4 dimmable led or G4 halogen	3W or 10W	DALI	0R01SE8F4FD*	CE ENEC 695
			integrated led	1,5W 174 lm 3000K	no	0R01SE8F4FE	CE ENEC 585
			integrated led	1,5W 164 lm 2700K	no	0R01SE8F4FEW	CE ENEC 585
gold crystal	white	clear	G4 halogen	10W	IGBT TRIAC	0R01SE8A4F	CE ENEC 670

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear	G4 dimmable led or G4 halogen	3W or 10W	DALI	0R01SE8A4FD*	CE ENEC 810
			integrated led	1,5W 174 lm 3000K	no	0R01SE8A4FE	CE ENEC 705
			integrated led	1,5W 164 lm 2700K	no	0R01SE8A4FEW	CE ENEC 705



G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 30 cm
On request it is available the **CB** version no dimmable

 2 * 2,8 |  2,5 * 3,4  16x16x22 cm * 30x30x30 cm

Mizu 3 light pendant

Body | 3 crystals


Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	IGBT	0R03SE8A9F	CE ENEC 1.480
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	DALI	0R03SE8A9FD	CE ENEC 1.700
			integrated led	3 × 1,5W 522 lm 3000K	1-10V PUSH	0R03SE8A9FE	CE ENEC 1.600
			integrated led	3 × 1,5W 492 lm 2700K	1-10V PUSH	0R03SE8A9FEW	CE ENEC 1.600
			integrated led	3 × 1,5W 522 lm 3000K	DALI	0R03SE8A9FED	CE ENEC 1.800
			integrated led	3 × 1,5W 492 lm 2700K	DALI	0R03SE8A9FEWD	CE ENEC 1.800
		clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	IGBT	0R03SE8H1F	CE ENEC 1.520
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	DALI	0R03SE8H1FD	CE ENEC 1.730
			integrated led	3 × 1,5W 522 lm 3000K	1-10V PUSH	0R03SE8H1FE	CE ENEC 1.640
			integrated led	3 × 1,5W 492 lm 2700K	1-10V PUSH	0R03SE8H1FEW	CE ENEC 1.640
			integrated led	3 × 1,5W 522 lm 3000K	DALI	0R03SE8H1FED	CE ENEC 1.840

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 champagne crystal	 white	clear	integrated led	3 × 1,5W 492 lm 2700K	DALI	OR03SE8H1FEWD	CE ENEC 1.840
 cognac crystal	 white	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	IGBT	OR03SE8H4F	CE ENEC 1.520
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	DALI	OR03SE8H4FD	CE ENEC 1.730
			integrated led	3 × 1,5W 522 lm 3000K	1-10V PUSH	OR03SE8H4FE	CE ENEC 1.640
			integrated led	3 × 1,5W 492 lm 2700K	1-10V PUSH	OR03SE8H4FEW	CE ENEC 1.640
			integrated led	3 × 1,5W 522 lm 3000K	DALI	OR03SE8H4FED	CE ENEC 1.840
			integrated led	3 × 1,5W 492 lm 2700K	DALI	OR03SE8H4FEWD	CE ENEC 1.840
 silver dust crystal	 white	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	IGBT	OR03SE8F4F	CE ENEC 1.700
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	DALI	OR03SE8F4FD	CE ENEC 1.950
			integrated led	3 × 1,5W 522 lm 3000K	1-10V PUSH	OR03SE8F4FE	CE ENEC 1.820
			integrated led	3 × 1,5W 492 lm 2700K	1-10V PUSH	OR03SE8F4FEW	CE ENEC 1.820
			integrated led	3 × 1,5W 522 lm 3000K	DALI	OR03SE8F4FED	CE ENEC 2.050
			integrated led	3 × 1,5W 492 lm 2700K	DALI	OR03SE8F4FEWD	CE ENEC 2.050
 gold crystal	 white	clear	G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	IGBT	OR03SE8A4F	CE ENEC 1.950
			G4 dimmable led or G4 halogen	3 × 2W or 3 × 10W	DALI	OR03SE8A4FD	CE ENEC 2.150
			integrated led	3 × 1,5W 522 lm 3000K	1-10V PUSH	OR03SE8A4FE	CE ENEC 2.050
			integrated led	3 × 1,5W 492 lm 2700K	1-10V PUSH	OR03SE8A4FEW	CE ENEC 2.050
			integrated led	3 × 1,5W 522 lm 3000K	DALI	OR03SE8A4FED	CE ENEC 2.270
			integrated led	3 × 1,5W 492 lm 2700K	DALI	OR03SE8A4FEWD	CE ENEC 2.270



G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 50 cm
On request it is available the **CB** version dimmable 1-10V/PWM



Mizu 5 light pendant

Body | 5 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 white	clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	IGBT	0R05SE8A9F	CE ENEC 2.470
			G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	DALI	0R05SE8A9FD	CE ENEC 2.750
			integrated led	5 × 1,5W 870 lm 3000K	0/1-10V PUSH DALI	0R05SE8A9FE	CE ENEC 2.850
			integrated led	5 × 1,5W 820 lm 2700K	0/1-10V PUSH DALI	0R05SE8A9FEW	CE ENEC 2.850
 champagne crystal	 white	clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	IGBT	0R05SE8H1F	CE ENEC 2.530
			G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	DALI	0R05SE8H1FD	CE ENEC 2.820
			integrated led	5 × 1,5W 870 lm 3000K	0/1-10V PUSH DALI	0R05SE8H1FE	CE ENEC 2.930
			integrated led	5 × 1,5W 820 lm 2700K	0/1-10V PUSH DALI	0R05SE8H1FEW	CE ENEC 2.930
 cognac crystal	 white	clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	IGBT	0R05SE8H4F	CE ENEC 2.530
			G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	DALI	0R05SE8H4FD	CE ENEC 2.820
			integrated led	5 × 1,5W 870 lm 3000K	0/1-10V PUSH DALI	0R05SE8H4FE	CE ENEC 2.930
			integrated led	5 × 1,5W 820 lm 2700K	0/1-10V PUSH DALI	0R05SE8H4FEW	CE ENEC 2.930
 silver dust crystal	 white	clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	IGBT	0R05SE8F4F	CE ENEC 2.820
			G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	DALI	0R05SE8F4FD	CE ENEC 3.100
			integrated led	5 × 1,5W 870 lm 3000K	0/1-10V PUSH DALI	0R05SE8F4FE	CE ENEC 3.200
			integrated led	5 × 1,5W 820 lm 2700K	0/1-10V PUSH DALI	0R05SE8F4FEW	CE ENEC 3.200
 gold crystal	 white	clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	IGBT	0R05SE8A4F	CE ENEC 3.300

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear	G4 dimmable led or G4 halogen	5 × 2W or 5 × 10W	DALI	OR05SE8A4FD	CE ENEC 3.580
			integrated led	5 × 1,5W 870 lm 3000K	0/1-10V PUSH DALI	OR05SE8A4FE	CE ENEC 3.680
			integrated led	5 × 1,5W 820 lm 2700K	0/1-10V PUSH DALI	OR05SE8A4FEW	CE ENEC 3.680



G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 80 cm
On request it is available the **CB** version dimmable 1-10V/PWM

 12 |  15  48x32x28 cm

Mizu 7 light pendant

Body | 7 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear	G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	IGBT	OR07SE8A9F	CE ENEC 3.450
			G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	DALI	OR07SE8A9FD	CE ENEC 3.740
			integrated led	7 × 1,5W 1218 lm 3000K	0/1-10V PUSH DALI	OR07SE8A9FE	CE ENEC 3.920
			integrated led	7 × 1,5W 1148 lm 2700K	0/1-10V PUSH DALI	OR07SE8A9FEW	CE ENEC 3.920
		clear	G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	IGBT	OR07SE8H1F	CE ENEC 3.550
			G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	DALI	OR07SE8H1FD	CE ENEC 3.820
			integrated led	7 × 1,5W 1218 lm 3000K	0/1-10V PUSH DALI	OR07SE8H1FE	CE ENEC 4.000
			integrated led	7 × 1,5W 1148 lm 2700K	0/1-10V PUSH DALI	OR07SE8H1FEW	CE ENEC 4.000
		clear	G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	IGBT	OR07SE8H4F	CE ENEC 3.550
			G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	DALI	OR07SE8H4FD	CE ENEC 3.820
			integrated led	7 × 1,5W 1218 lm 3000K	0/1-10V PUSH DALI	OR07SE8H4FE	CE ENEC 4.000

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 cognac crystal	 white	clear	integrated led	7 × 1,5W 1148 lm 2700K	0/1-10V PUSH DALI	0R07SE8H4FEW	CE ENEC 4.000
 silver dust crystal	 white	clear	G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	IGBT	0R07SE8F4F	CE ENEC 3.940
			G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	DALI	0R07SE8F4FD	CE ENEC 4.230
			integrated led	7 × 1,5W 1218 lm 3000K	0/1-10V PUSH DALI	0R07SE8F4FE	CE ENEC 4.400
			integrated led	7 × 1,5W 1148 lm 2700K	0/1-10V PUSH DALI	0R07SE8F4FEW	CE ENEC 4.400
 gold crystal	 white	clear	G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	IGBT	0R07SE8A4F	CE ENEC 4.580
			G4 dimmable led or G4 halogen	7 × 2W or 7 × 10W	DALI	0R07SE8A4FD	CE ENEC 4.850
			integrated led	7 × 1,5W 1218 lm 3000K	0/1-10V PUSH DALI	0R07SE8A4FE	CE ENEC 5.050
			integrated led	7 × 1,5W 1148 lm 2700K	0/1-10V PUSH DALI	0R07SE8A4FEW	CE ENEC 5.050

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 80 cm
On request it is available the **CB** version dimmable 1-10V/PWM



15



19




50×35×38 cm

Mizu 15 rectangular multi light pendant

Body | 15 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 white	clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	0R15SE8A9FR	CE ENEC 8.650
			G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	0R15SE8A9FRD	CE ENEC 9.100
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	0R15SE8A9FRE	CE ENEC 9.200
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	0R15SE8A9FREW	CE ENEC 9.200
 champagne crystal	 white	clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	0R15SE8H1FR	CE ENEC 8.850

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	OR15SE8H1FRD	CE ENEC 9.300
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8H1FRE	CE ENEC 9.400
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8H1FREW	CE ENEC 9.400
		clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	OR15SE8H4FR	CE ENEC 8.850
			G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	OR15SE8H4FRD	CE ENEC 9.300
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8H4FRE	CE ENEC 9.400
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8H4FREW	CE ENEC 9.400
		clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	OR15SE8F4FR	CE ENEC 9.800
			G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	OR15SE8F4FRD	CE ENEC 10.200
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8F4FRE	CE ENEC 10.300
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8F4FREW	CE ENEC 10.300
		clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	IGBT	OR15SE8A4FR	CE ENEC 11.250
			G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	OR15SE8A4FRD	CE ENEC 11.650
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8A4FRE	CE ENEC 11.750
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8A4FREW	CE ENEC 11.750

G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 50 cm
On request it is available the **CB** version dimmable 1-10V/PWM



36



40





77×77×30 cm

Mizu 15 round multi light pendant

Body | 15 crystals


Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 white	clear	G4 dimmable led or G4 halogen	15 x 2W or 15 x 10W	IGBT	OR15SE8A9FT	CE ENEC 8.650
			G4 dimmable led or G4 halogen	15 x 2W or 15 x 10W	DALI	OR15SE8A9FTD	CE ENEC 9.100
			integrated led	15 x 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8A9FTE	CE ENEC 9.200
			integrated led	15 x 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8A9FTEW	CE ENEC 9.200
 champagne crystal	 white	clear	G4 dimmable led or G4 halogen	15 x 2W or 15 x 10W	IGBT	OR15SE8H1FT	CE ENEC 8.850
			G4 dimmable led or G4 halogen	15 x 2W or 15 x 10W	DALI	OR15SE8H1FTD	CE ENEC 9.300
			integrated led	15 x 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8H1FTE	CE ENEC 9.400
			integrated led	15 x 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8H1FTEW	CE ENEC 9.400
 cognac crystal	 white	clear	G4 dimmable led or G4 halogen	15 x 2W or 15 x 10W	IGBT	OR15SE8H4FT	CE ENEC 8.850
			G4 dimmable led or G4 halogen	15 x 2W or 15 x 10W	DALI	OR15SE8H4FTD	CE ENEC 9.300
			integrated led	15 x 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8H4FTE	CE ENEC 9.400
			integrated led	15 x 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8H4FTEW	CE ENEC 9.400
 silver dust crystal	 white	clear	G4 dimmable led or G4 halogen	15 x 2W or 15 x 10W	IGBT	OR15SE8F4FT	CE ENEC 9.800
			G4 dimmable led or G4 halogen	15 x 2W or 15 x 10W	DALI	OR15SE8F4FTD	CE ENEC 10.200
			integrated led	15 x 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	OR15SE8F4FTE	CE ENEC 10.300
			integrated led	15 x 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	OR15SE8F4FTEW	CE ENEC 10.300
 gold crystal	 white	clear	G4 dimmable led or G4 halogen	15 x 2W or 15 x 10W	IGBT	OR15SE8A4FT	CE ENEC 11.250

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear	G4 dimmable led or G4 halogen	15 × 2W or 15 × 10W	DALI	0R15SE8A4FTD	CE ENEC 11.650
			integrated led	15 × 1,5W 2610 lm 3000K	0/1-10V PUSH DALI	0R15SE8A4FTE	CE ENEC 11.750
			integrated led	15 × 1,5W 2460 lm 2700K	0/1-10V PUSH DALI	0R15SE8A4FTEW	CE ENEC 11.750


G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 70 cm
On request it is available the **CB** version dimmable 1-10V/PWM



Mizu 26 square multi light pendant

Body | 26 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8A9FQ	CE ENEC 14.650
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8A9FQD	CE ENEC 15.150
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8A9FQE	CE ENEC 15.550
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8A9FQEW	CE ENEC 15.550
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8H1FQ	CE ENEC 15.000
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8H1FQD	CE ENEC 15.550
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8H1FQE	CE ENEC 15.900
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8H1FQEW	CE ENEC 15.900
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8H4FQ	CE ENEC 15.000
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8H4FQD	CE ENEC 15.550
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8H4FQE	CE ENEC 15.900

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 cognac crystal	 white	clear	integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8H4FQEW	CE ENEC 15.900
 silver dust crystal	 white	clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8F4FQ	CE ENEC 16.550
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8F4FQD	CE ENEC 17.150
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8F4FQE	CE ENEC 17.500
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8F4FQEW	CE ENEC 17.500
 gold crystal	 white	clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8A4FQ	CE ENEC 18.750
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8A4FQD	CE ENEC 19.300
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8A4FQE	CE ENEC 19.700
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8A4FQEW	CE ENEC 19.700


G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 50 cm
On request it is available the **CB** version dimmable 1-10V/PWM



Mizu 26 round multi light pendant

Body | 26 crystals


Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 clear crystal	 white	clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8A9FT	CE ENEC 14.650
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8A9FTD	CE ENEC 15.150
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8A9FTE	CE ENEC 15.550
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8A9FTEW	CE ENEC 15.550
 champagne crystal	 white	clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8H1FT	CE ENEC 15.000

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8H1 FTD	CE ENEC 15.550
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8H1 FTE	CE ENEC 15.900
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8H1 FTEW	CE ENEC 15.900
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8H4 FT	CE ENEC 15.000
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8H4 FTD	CE ENEC 15.550
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8H4 FTE	CE ENEC 15.900
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8H4 FTEW	CE ENEC 15.900
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8F4 FT	CE ENEC 16.550
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8F4 FTD	CE ENEC 17.150
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8F4 FTE	CE ENEC 17.500
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8F4 FTEW	CE ENEC 17.500
		clear	G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	IGBT	0R26SE8A4 FT	CE ENEC 18.750
			G4 dimmable led or G4 halogen	26 × 2W or 26 × 10W	DALI	0R26SE8A4 FTD	CE ENEC 19.300
			integrated led	26 × 1,5W 4524 lm 3000K	0/1-10V PUSH DALI	0R26SE8A4 FTE	CE ENEC 19.700
			integrated led	26 × 1,5W 4264 lm 2700K	0/1-10V PUSH DALI	0R26SE8A4 FTEW	CE ENEC 19.700


G4 led and G4 halogen light bulbs are not included
On site minimum adjustable overall height 105 cm





Mizu | Bespoke


Please furnish the details for your design request by utilizing the request form



Various customizations are available on request.

For further information, please feel free to contact our customer service or download the price calculator from our reserved area:
<https://www.terzani.com/en/reserved-area>

	Size	Type *	Finish
Canopy	 _____ cm ☐	 _____ cm ☐	☐ white ☐ other _____
	 _____ cm ☐		
Based on your request, we will provide a solution that best meets your needs			

	Pendant height
Height	 min _____ cm max _____ cm

	Finish	Number of pendants
Diffuser	☐ clear ☐ champagne ☐ cognac ☐ silver dust ☐ gold	

	Voltage	Type	Dimming
Light Source	☐ 120V ☐ 230V	bulb ☐ halogen ☐ led	☐ IGBT ☐ 1-10V ☐ TRIAC ☐ PUSH ☐ DALI ☐ other _____
		integrated led ☐ 3000K ☐ 3000K IP65 ☐ 2700K ☐ 2700K IP65	

Additional information



Material

Metal

Finishes

Diffuser



nickel plated



gold plated

Canopy




nickel plated




gold plated

Legend




Moiré pendant light

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + steel cable	integrated led	15W 1952 lm 3000K	1-10V PUSH	0M10SE7C8F	CE ENEC 6.900
			integrated led	15W 1952 lm 3000K	DALI	0M10SE7C8FD	CE ENEC 7.200
gold plated	gold plated	clear cord + steel cable	integrated led	15W 1952 lm 3000K	1-10V PUSH	0M10SL6C8F	CE ENEC 8.200
			integrated led	15W 1952 lm 3000K	DALI	0M10SL6C8FD	CE ENEC 8.500

On site minimum adjustable overall height 90 cm

10,5 | 25 83×78×95 cm

Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request



Materials

Brass and glass

Legend



Finishes

Structure

Diffuser



nickel plated



satin white



satin brass



black



white




gold plated



rose gold plated

Oscar table lamp

Body



Diffuser	Structure	Cord	Source	Max power	Dimming	Code	Price €
 satin white	 nickel plated	white fabric	E14 dimmable led	7W	integrated dimmer	0C02BE7F5F	CE EAC 515
	 satin brass	white fabric	E14 dimmable led	7W	integrated dimmer	0C02BN9F5F	CE EAC 515
	 black	black fabric	E14 dimmable led	7W	integrated dimmer	0C02BG2F5F	CE EAC 515
	 white	white fabric	E14 dimmable led	7W	integrated dimmer	0C02BM2F5F	CE EAC 515
	 gold plated	white fabric	E14 dimmable led	7W	integrated dimmer	0C02BL6F5F	CE EAC 580
	 rose gold plated	white fabric	E14 dimmable led	7W	integrated dimmer	0C02BN4F5F	CE EAC 580

E14 led light bulbs are not included

 1,2

|

 2,8

|

 41x41x41 cm



Materials

Brass chains and metal structure plated

Finishes


Diffuser

-  nickel plated | brushed nickel plated
-  brushed bronze
-  gold plated | brushed gold plated
-  champagne plated | brushed champagne plated


Canopy

-  nickel plated
-  brushed bronze
-  gold plated
-  champagne plated


Legend



Chandelier



Ceiling lamp




Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Soscik small chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated brushed nickel plated	nickel plated	clear cord + steel cable	G9 dimmable led	8 × 3,5W	all systems	OG55SH4C8F	CE ENEC 12.350
brushed bronze	brushed bronze	clear cord + steel cable	G9 dimmable led	8 × 3,5W	all systems	OG55SF7C8F	CE ENEC 14.950
gold plated brushed gold plated	gold plated	clear cord + steel cable	G9 dimmable led	8 × 3,5W	all systems	OG55SL8C8F	CE ENEC 15.450
champagne plated brushed champagne	champagne plated	clear cord + steel cable	G9 dimmable led	8 × 3,5W	all systems	OG55SN1C8F	CE ENEC 15.450


G9 led light bulbs are not included
On site minimum adjustable overall height 115 cm

20 | 36 83×78×95 cm

Soscik medium chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated brushed nickel plated	nickel plated	clear cord + steel rope	G9 dimmable led	12 × 3,5W	all systems	OG56SH4C8F	CE ENEC 25.500
brushed bronze	brushed bronze	clear cord + steel rope	G9 dimmable led	12 × 3,5W	all systems	OG56SF7C8F	CE ENEC 29.400
gold plated brushed gold plated	gold plated	clear cord + steel rope	G9 dimmable led	12 × 3,5W	all systems	OG56SL8C8F	CE ENEC 31.500
champagne plated brushed champagne	champagne plated	clear cord + steel rope	G9 dimmable led	12 × 3,5W	all systems	OG56SN1C8F	CE ENEC 31.500


G9 led light bulbs are not included
Not adjustable on site

65 | 155 115×115×184 cm

Soscik large chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated brushed nickel plated	nickel plated	clear cord + steel rope	G9 dimmable led	14 × 3,5W	all systems	OG57SH4C8F	CE ENEC 43.500
brushed bronze	brushed bronze	clear cord + steel rope	G9 dimmable led	14 × 3,5W	all systems	OG57SF7C8F	CE ENEC 50.500
gold plated brushed gold plated	gold plated	clear cord + steel rope	G9 dimmable led	14 × 3,5W	all systems	OG57SL8C8F	CE ENEC 53.500
champagne plated brushed champagne	champagne plated	clear cord + steel rope	G9 dimmable led	14 × 3,5W	all systems	OG57SN1C8F	CE ENEC 53.500


G9 led light bulbs are not included
Not adjustable on site

133 | 387 185×185×224 cm

Soscik small ceiling light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated brushed nickel plated	nickel plated	-	G9 dimmable led	8 × 3,5W	all systems	OG60LH4C8F	CE ENEC 5.200
brushed bronze	brushed bronze	-	G9 dimmable led	8 × 3,5W	all systems	OG60LF7C8F	CE ENEC 6.550
gold plated brushed gold plated	gold plated	-	G9 dimmable led	8 × 3,5W	all systems	OG60LL8C8F	CE ENEC 6.850
champagne plated brushed champagne	champagne plated	-	G9 dimmable led	8 × 3,5W	all systems	OG60LN1C8F	CE ENEC 6.850


G9 led light bulbs are not included

11,5 | 16 77×77×30 cm

Soscik medium ceiling light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated brushed nickel plated	 nickel plated	-	G9 dimmable led	10 × 3,5W	all systems	OG61LH4C8F	CE ENEC 13.900
 brushed bronze	 brushed bronze	-	G9 dimmable led	10 × 3,5W	all systems	OG61LF7C8F	CE ENEC 17.150
 gold plated brushed gold plated	 gold plated	-	G9 dimmable led	10 × 3,5W	all systems	OG61LL8C8F	CE ENEC 17.850
 champagne plated brushed champagne	 champagne plated	-	G9 dimmable led	10 × 3,5W	all systems	OG61LN1C8F	CE ENEC 17.850

G9 led light bulbs are not included



36



75




115×115×66 cm

Soscik large ceiling light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 nickel plated brushed nickel plated	 nickel plated	-	G9 dimmable led	12 × 3,5W	all systems	OG62LH4C8F	CE ENEC 23.400
 brushed bronze	 brushed bronze	-	G9 dimmable led	12 × 3,5W	all systems	OG62LF7C8F	CE ENEC 27.700
 gold plated brushed gold plated	 gold plated	-	G9 dimmable led	12 × 3,5W	all systems	OG62LL8C8F	CE ENEC 28.800
 champagne plated brushed champagne	 champagne plated	-	G9 dimmable led	12 × 3,5W	all systems	OG62LN1C8F	CE ENEC 28.800

G9 led light bulbs are not included



65




122



160×160×79 cm





Material


Stainless steel

Finish




brushed stainless steel

Legend




Stanley floor lamp

Body



Top view



Structure	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 brushed stainless steel	-	black	integrated leds	top: 21W edges: 3 × 39W total: 138W 15750 lm 3000K CRI>80	Casambi Xpress wireless switch	0C06PH2C8F	€ 5.600

Casambi technology | Xpress-LR remote control
Each light source can be dimmed independently or in programmable groups
Light sources are replaceable

 50

|

 66

|

 212×64×62 cm

Stream | Design Christian Lava



Materials

Brass chains and metal structure plated

Finishes

Diffuser



nickel plated



black nickel plated



gold plated

Canopy



nickel plated




black nickel plated




gold plated


Legend




Chandelier




Ceiling lamp



Wall sconce



Floor lamp




Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Stream mini chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain	G9 + GU10 dimmable led	4 × 3,5W + 5W	all systems	OJ54SE7C8F	CE ENEC 3.660
black nickel plated	black nickel plated	clear cord + chain	G9 + GU10 dimmable led	4 × 3,5W + 5W	all systems	OJ54SE9C8F	CE ENEC 3.990
gold plated	gold plated	clear cord + chain	G9 + GU10 dimmable led	4 × 3,5W + 5W	all systems	OJ54SL6C8F	CE ENEC 4.500


G9 led and GU10 led light bulbs are not included
On site minimum adjustable overall height 80 cm

5,5 | 6,5 46×39×32 cm

Stream small chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + steel rope	E14 + GU10 dimmable led	18 × 4W + 5W	all systems	OJ51SE7C8F	CE ENEC 27.200
black nickel plated	black nickel plated	clear cord + steel rope	E14 + GU10 dimmable led	18 × 4W + 5W	all systems	OJ51SE9C8F	CE ENEC 30.500
gold plated	gold plated	clear cord + steel rope	E14 + GU10 dimmable led	18 × 4W + 5W	all systems	OJ51SL6C8F	CE ENEC 34.500



E14 led and GU10 led light bulbs are not included
Not adjustable on site

40 | 93 115×115×124 cm

Stream large chandelier


Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + steel rope	E14 + GU10 dimmable led	20 × 4W + 5W	all systems	0J50SE7C8F	CE ENEC 34.000
black nickel plated	black nickel plated	clear cord + steel rope	E14 + GU10 dimmable led	20 × 4W + 5W	all systems	0J50SE9C8F	CE ENEC 37.500
gold plated	gold plated	clear cord + steel rope	E14 + GU10 dimmable led	20 × 4W + 5W	all systems	0J50SL6C8F	CE ENEC 40.500



E14 led and GU10 led light bulbs are not included
Not adjustable on site



Stream linear chandelier


Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + chain	G9 + GU10 dimmable led	12 × 3,5W + 3 × 5W	all systems	0J52SE7C8F	CE ENEC 22.100
black nickel plated	black nickel plated	clear cord + chain	G9 + GU10 dimmable led	12 × 3,5W + 3 × 5W	all systems	0J52SE9C8F	CE ENEC 24.200
gold plated	gold plated	clear cord + chain	G9 + GU10 dimmable led	12 × 3,5W + 3 × 5W	all systems	0J52SL6C8F	CE ENEC 27.100


G9 led and GU10 led light bulbs are not included
On site minimum adjustable overall height 100 cm



Stream ceiling light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	-	G9 + GU10 dimmable led	8 × 3,5W + 5W	all systems	OJ70LE7C8F	CE ENEC 12.350
black nickel plated	black nickel plated	-	G9 + GU10 dimmable led	8 × 3,5W + 5W	all systems	OJ70LE9C8F	CE ENEC 13.650
gold plated	gold plated	-	G9 + GU10 dimmable led	8 × 3,5W + 5W	all systems	OJ70LL6C8F	CE ENEC 14.950


G9 led and GU10 led light bulbs are not included
Not adjustable on site

17 | 30 83×78×95 cm

Stream wall sconce

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	-	E14 dimmable led	2 × 6W	all systems	OJ60AE7C8F	CE ENEC 1.400
black nickel plated	black nickel plated	-	E14 dimmable led	2 × 6W	all systems	OJ60AE9C8F	CE ENEC 1.550
gold plated	gold plated	-	E14 dimmable led	2 × 6W	all systems	OJ60AL6C8F	CE ENEC 1.760


E14 led light bulbs are not included

2 | 2,8 30×30×30 cm

Stream floor lamp

Body

Base



Diffuser	Base	Cord	Source	Max power	Dimming	Code		Price €
nickel plated	nickel plated	black	E14 dimmable led	6 × 6W	all systems	0J65PE7C8F	CE ENEC	5.600
black nickel plated	black nickel plated	black	E14 dimmable led	6 × 6W	all systems	0J65PE9C8F	CE ENEC	6.100
gold plated	gold plated	black	E14 dimmable led	6 × 6W	all systems	0J65PL6C8F	CE ENEC	6.950

E14 led light bulbs are not included

16,5 | 23,5 191×46×46 cm



Materials

Brass chains and metal structure plated

Finishes


Diffuser

- nickel plated
- black nickel plated
- brushed bronze
- gold plated


Canopy

- nickel plated
- black nickel plated
- brushed bronze
- gold plated

Legend



Chandelier




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service
A 110V version is available upon request

Volver small linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + steel cable	integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	0L63SE7C8F	CE ENEC CB 10.600
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	0L63SE7C8FW	CE ENEC CB 10.600
			integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	0L63SE7C8FD	CE ENEC CB 10.700
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	0L63SE7C8FWD	CE ENEC CB 10.700
black nickel plated	black nickel plated	clear cord + steel cable	integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	0L63SE9C8F	CE ENEC CB 11.700
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	0L63SE9C8FW	CE ENEC CB 11.700
			integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	0L63SE9C8FD	CE ENEC CB 11.800
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	0L63SE9C8FWD	CE ENEC CB 11.800
brushed bronze	brushed bronze	clear cord + steel cable	integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	0L63SF7C8F	CE ENEC CB 12.600
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	0L63SF7C8FW	CE ENEC CB 12.600
			integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	0L63SF7C8FD	CE ENEC CB 12.800
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	0L63SF7C8FWD	CE ENEC CB 12.800
gold plated	gold plated	clear cord + steel cable	integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	0-10V PWM	0L63SL6C8F	CE ENEC CB 13.100
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	0-10V PWM	0L63SL6C8FW	CE ENEC CB 13.100
			integrated led boards	7 × 4,5W 4632 lm CRI 90 3000K	PUSH DALI	0L63SL6C8FD	CE ENEC CB 13.300
			integrated led boards	7 × 4,5W 4200 lm CRI 90 2700K	PUSH DALI	0L63SL6C8FWD	CE ENEC CB 13.300

On site minimum adjustable overall height 95 cm




Volver medium linear chandelier


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L60SE7C8F	CE ENEC CB 21.400
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L60SE7C8FW	CE ENEC CB 21.400
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L60SE7C8FD	CE ENEC CB 21.500
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L60SE7C8FWD	CE ENEC CB 21.500
black nickel plated	black nickel plated	clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L60SE9C8F	CE ENEC CB 24.200
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L60SE9C8FW	CE ENEC CB 24.200
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L60SE9C8FD	CE ENEC CB 24.400
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L60SE9C8FWD	CE ENEC CB 24.400
brushed bronze	brushed bronze	clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L60SF7C8F	CE ENEC CB 26.300
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L60SF7C8FW	CE ENEC CB 26.300
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L60SF7C8FD	CE ENEC CB 26.400
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L60SF7C8FWD	CE ENEC CB 26.400
gold plated	gold plated	clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L60SL6C8F	CE ENEC CB 26.800
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L60SL6C8FW	CE ENEC CB 26.800
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L60SL6C8FD	CE ENEC CB 26.900
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L60SL6C8FWD	CE ENEC CB 26.900

On site minimum adjustable overall height 95 cm



36,5




72




148×55×99 cm

Volver large linear chandelier


Body



Canopy




Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear cord + steel cable	integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	0-10V PWM	0L62SE7C8F	CE ENEC CB 29.000
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	0-10V PWM	0L62SE7C8FW	CE ENEC CB 29.000
			integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	PUSH DALI	0L62SE7C8FD	CE ENEC CB 29.500
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	PUSH DALI	0L62SE7C8FWD	CE ENEC CB 29.500
		clear cord + steel cable	integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	0-10V PWM	0L62SE9C8F	CE ENEC CB 33.000
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	0-10V PWM	0L62SE9C8FW	CE ENEC CB 33.000
			integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	PUSH DALI	0L62SE9C8FD	CE ENEC CB 33.000
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	PUSH DALI	0L62SE9C8FWD	CE ENEC CB 33.000
		clear cord + steel cable	integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	0-10V PWM	0L62SF7C8F	CE ENEC CB 36.000
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	0-10V PWM	0L62SF7C8FW	CE ENEC CB 36.000
			integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	PUSH DALI	0L62SF7C8FD	CE ENEC CB 36.000
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	PUSH DALI	0L62SF7C8FWD	CE ENEC CB 36.000
		clear cord + steel cable	integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	0-10V PWM	0L62SL6C8F	CE ENEC CB 37.500
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	0-10V PWM	0L62SL6C8FW	CE ENEC CB 37.500
			integrated led boards	20 x 4,5W 13234 lm CRI 90 3000K	PUSH DALI	0L62SL6C8FD	CE ENEC CB 37.500
			integrated led boards	20 x 4,5W 12000 lm CRI 90 2700K	PUSH DALI	0L62SL6C8FWD	CE ENEC CB 37.500

On site minimum adjustable overall height 95 cm




Volver round chandelier


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
nickel plated	nickel plated	clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L61SE7C8F	CE ENEC CB 25.500
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L61SE7C8FW	CE ENEC CB 25.500
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L61SE7C8FD	CE ENEC CB 25.700
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L61SE7C8FWD	CE ENEC CB 25.700
black nickel plated	black nickel plated	clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L61SE9C8F	CE ENEC CB 28.000
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L61SE9C8FW	CE ENEC CB 28.000
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L61SE9C8FD	CE ENEC CB 28.500
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L61SE9C8FWD	CE ENEC CB 28.500
brushed bronze	brushed bronze	clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L61SF7C8F	CE ENEC CB 29.900
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L61SF7C8FW	CE ENEC CB 29.900
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L61SF7C8FD	CE ENEC CB 30.000
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L61SF7C8FWD	CE ENEC CB 30.000
gold plated	gold plated	clear cord + steel cable	integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	0-10V PWM	0L61SL6C8F	CE ENEC CB 31.000
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	0-10V PWM	0L61SL6C8FW	CE ENEC CB 31.000
			integrated led boards	10 × 4,5W 6617 lm CRI 90 3000K	PUSH DALI	0L61SL6C8FD	CE ENEC CB 31.500
			integrated led boards	10 × 4,5W 6000 lm CRI 90 2700K	PUSH DALI	0L61SL6C8FWD	CE ENEC CB 31.500



On site minimum adjustable overall height 95 cm




Canopy types |

Mechanical





Without quick system




With quick system




Flush



Radial




Disc




Canopy types |

Magnetic



Covered disc



Glasses&Components





Glasses and Components

Item	Description	Code	€	Item	Description	Code	€
Abacus	white glass	W389V6CV	35	Manta	Clear Ø20	W379V6G0	465
Angel Falls	Clear	W349V6G0	255		Clear Ø26	W380V6G0	695
Argent Mon Bijou	kit led 3000K susp.	KITLED1.530	100	Mizu	Clear	W341V000	285
	kit led 2700K susp.	KITLED1.527	100		Champagne	W341V8N0	305
	kit led 3000K wall sc. nickel	KITLEDMBE730	130		Cognac	W395V6J0	305
	kit led 3000K wall sc. gold	KITLEDMBP730	130		Silver dust	W366V8M0	365
	kit led 3000K wall sc. rose gold	KITLEDMBN430	130		Gold	W351V8L0	520
	kit led 3000K wall sc. champagne	KITLEDMBQ130	130	Oscar	Satin white	W390V6CA	275
Calle	Clear	W356V6G0	685	Pug	Clear	W391V000	130
Frame	Clear Ø7 wall sc.	W406V000	235		Satin white	W392V6CA	205
	Clear Ø7 susp.	W344V000	270				
	Clear Ø10 susp.	W343V000	395				
	Clear cone susp.	W352V000	460				
Glamour	Glass	W325V6A0	160				
Harpe	kit led 3000K susp.	KITLEDHAR30	110				
Iceberg	"A" module	X287P000	90				
	"B" module	X288P000	90				
	"C" module	X292P000	90				
	"F" module	X290P000	90				
	"E" module	X289P000	90				
	"G" module	X291P000	90				

Condizioni Generali di vendita e consegna

Validità

Il presente listino annulla e sostituisce il precedente. La Terzani Srl si riserva il diritto di apportare modifiche al listino in qualunque momento e senza preavviso e declina ogni responsabilità per eventuali inesattezze in esso contenute derivanti da errori di stampa o trascrizione.

Prezzi

Tutti i prezzi indicati su questo listino sono espressi in euro e sono al pubblico I.V.A. esclusa. Sui prezzi netti (net) presenti nel listino non sono applicabili sconti commerciali. Le offerte emesse da Terzani srl hanno una validità di 30 giorni. Decorso detto termine la Terzani srl si riserva il diritto di apportare eventuali modifiche ai prezzi senza preavviso.

Modifiche e annullamento ordini

La modifica o la cancellazione dell'ordine dopo la data di conferma non è valida se non previa accettazione scritta da parte di Terzani. Non è comunque in ogni caso ammesso l'annullamento di ordini per prodotti su misura.

Consegna

I termini eventualmente fissati per la consegna della merce sono puramente indicativi.

La loro mancata osservanza non darà luogo a penalità di sorta né potrà originare richieste di risarcimento danni.

Garanzia & Responsabilità

La garanzia ha la durata di 2 anni a decorrere dalla data di fatturazione della merce. Durante il periodo di validità, la garanzia dà diritto alla riparazione o sostituzione della merce o parte di essa. La presente garanzia non si applica ai danni derivanti da incidenti, alterazioni, manomissioni, uso improprio, negligenza o abuso. Terzani Srl non fornisce garanzie in caso di utilizzo errato o inappropriato, installazione/disinstallazione errata, uso improprio e manutenzione errata, pertanto nessuna responsabilità può essere attribuita alla società e nessuna richiesta di risarcimento sarà accettata.

Limitazione di Responsabilità

TERZANI SRL NON E' RESPONSABILE PER DANNI INDIRETTI, SPECIALI, ACCIDENTALI O CONSEGUENZIALI DI QUALSIASI NATURA.

Inoltre, Terzani Srl non è responsabile per quanto segue:

- Eventuali costi relativi all'installazione, reinstallazione, rimozione o riparazione
- Danni causati da installazione o assemblaggio improprio da parte dell'acquirente o di terzi
- Danni causati dall'esposizione alle intemperie o da un ambiente improprio
- Danni causati da soluzioni o metodi di pulizia impropri
- Qualsiasi cambiamento nell'aspetto o patina causato dall'usura naturale

Spese di Trasporto

Per le spedizioni in Italia di importo

superiori o uguali a € 750 il trasporto è franco destino

inferiore a € 750 sarà addebitato in fattura un contributo di € 35.

Rotture Trasporto

Terzani srl non è responsabile per danni alle merci che si verificano durante il trasporto o lo stoccaggio. Al momento della consegna il destinatario deve accertarsi che i colli siano integri; in caso di colli scondizionati, manomessi, mancanti o quanto altro possa far intuire un danno o una rottura, la merce deve essere accettata annotando sul documento di trasporto: "Riserva di controllo del contenuto". Specificando la motivazione per cui è posta la riserva al fine di presentare eventuale reclamo per iscritto alla Terzani srl entro 8 giorni lavorativi dalla data dell'accettazione con riserva della merce.

Contestazioni

Eventuali contestazioni sulla qualità e quantità della merce ricevuta dovranno essere notificate dall'acquirente alla Terzani Srl esclusivamente in forma scritta o per e-mail entro 8 giorni dall'avenuta consegna. Non si accettano contestazioni per prodotti già installati o manomessi.

Resi

Non sarà accettata la restituzione dei prodotti senza il consenso scritto e le istruzioni di spedizione di Terzani Srl. Qualsiasi operazione di reso si intende "Franco nostro stabilimento". La merce deve essere perfettamente imballata, possibilmente nell'imballo originale. La Terzani Srl non sarà responsabile per danni o rotture avvenuti durante il trasporto per merce non adeguatamente imballata. La restituzione della merce installata non sarà accettata. La restituzione di beni non difettosi, una volta approvata, sarà soggetta ad un costo pari al 30% del prezzo di acquisto sostenuto dal cliente.

Caratteristiche del prodotto | Prodotti e Modifiche

Tutti i prodotti sono fatti a mano e sono tutti oggetti unici. I vetri soffiati e o rifiniti a mano possono presentare bolle d'aria, strisce leggere o scoloriture. Questi aspetti sono tipici dell'alta qualità dei prodotti in vetro soffiato e rifinito a mano e non possono essere considerati difetti di lavorazione e non possono essere oggetto di reclamo.

In aree con condizioni ambientali particolarmente aggressive (come umidità, salsedine o inquinamento), alcuni materiali e finiture possono deteriorarsi più rapidamente, anche se conformi ai nostri standard di qualità. Una corretta cura e manutenzione dell'ambiente è quindi essenziale per garantirne il corretto funzionamento e la durata nel tempo del prodotto.

Per motivi di produzione e/o miglioramento, Terzani Srl si riserva il diritto di modificare, in qualsiasi momento e senza preavviso, le specifiche tecniche e/o progettuali di qualsiasi prodotto illustrato nel catalogo. Questo non potrà essere oggetto di rivalsa su prodotti già forniti.

Unità di misura

Tutte le misure nel listino prezzi sono in centimetri.

OAH (overall height) – Soltanto un elettricista certificato può aggiustare/accorciare l'altezza totale del/dei pendente/i.

Il voltaggio di tutti i prodotti presenti in questo listino è 220-240V. Il voltaggio 110V è disponibile su richiesta.

Lampadine

Le lampadine non sono incluse ad eccezione dei led integrati.

Foro Competente

Per qualsiasi contestazione si considera competente soltanto l'Autorità Giudiziaria di Firenze.

General terms and conditions of sales and delivery

Validity

This price list cancels out the previous one and replaces it. Terzani Srl reserves the right to make changes to the price list at any time and without prior notice, and assumes no liability for inaccuracies contained therein due to printing or transcription errors.

Prices

All prices indicated on this price list are expressed in euros and exclude VAT for the general public. No commercial discounts can be applied to the net prices on the price list. The quotes issued by Terzani srl are valid for 30 days. After the term mentioned above, Terzani srl reserves the right to make any changes to the prices without prior notice.

Changes and cancellation of orders

Changes in or cancellation of orders after the confirmation date are not valid unless prior written acceptance has been provided by Terzani. In any case, orders for customized products cannot be cancelled.

Delivery

Any terms established for the delivery of the goods are purely indicative.

Failure to meet these terms will not result in penalties of any kind or lead to claims for damages.

Warranty & Liability

Terzani SRL warrants that the goods will be free from material defects, are made with workmanlike quality, and will conform, within normal commercial tolerances, to the applicable specifications for a period of 2 years from the date the goods are invoiced, subject to the notice and exclusions below. The sole remedy for breach of this limited warranty will be Terzani SRL repairing, replacing, or providing replacement parts, at Terzani SRL's discretion. Purchaser shall notify Terzani SRL of any such defect or nonconformity immediately after delivery or discovery, if not readily apparent on delivery. This limited warranty does not extend to any goods purchaser improperly uses, installs, or uninstalls, or otherwise modifies, alters, tampers with, abuses, neglects, improperly maintains, or otherwise misuses according to the applicable documentation or specifications, or to any goods purchaser has had repaired or altered by a person other than Terzani SRL.

Limitation on Liability

TERZANI SRL HEREBY EXPRESSLY EXCLUDES ANY LIABILITY FOR INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY NATURE UNDER THE TERMS OF THIS WARRANTY.

Additionally, Terzani Srl is not responsible for the following:

- Any costs related to installation, re-installation, removal, or repair
- Damage caused by improper installation or assembly by the purchaser or a third party
- Damage caused by exposure to weather or improper environment
- Damage caused by improper cleaning solutions or methods

Any change in appearance or patina caused by natural wear

Shipping charges

For shipments in Austria, Belgium, France, Germany, Greece, Luxemburg, Netherland, Poland, Spain amounting to

More than € 750, transport is DAP

less than € 750, there will be a charge € 50 added to the invoice.

Breakages during Transport

Terzani srl is not liable for damage to goods that occurs during transport or storage. At the time of delivery, the recipient must ascertain that the packages are intact; in the case of packages that, on arrival, are in bad condition, tampered with, missing, or anything else that might suggest damage or breakage, the goods must be accepted, and on the transport document, in writing, there must be the words: "Riserva di controllo del contenuto (With reservations - subject to inspection)", specifying the reason for the reservations, for the purposes of lodging a complaint in writing to Terzani srl within 8 working days from the date that the goods are accepted with reservations.

Complaints

In regard to any complaints over the quality and quantity of the goods received, the purchaser must notify Terzani Srl exclusively in writing or by e-mail within 8 days of delivery. Complaints about products already installed or tampered with will not be accepted.

Returns

Products may not be returned without written consent and shipping instructions from Terzani Srl. Any return operation is understood as "free from our factory". The goods must be packed perfectly, preferably in the original packaging. Terzani Srl will not be liable for damages or breakages that take place during the transport of goods that are not properly packed. The return of already installed goods will not be accepted. The return of non-defective goods, once approved, will be subject to a cost equal to 30% of the purchase price paid by the customer.

Product features | Products and modifications

All the products are made by hand and unique. Blown glass and/or hand-finished glass may have air bubbles, light stripes or discolouration. These are typical features in high-quality blown glass and hand-finished glass products and cannot be considered manufacturing defects and nor may be subject to complaints. In areas with particularly aggressive environmental conditions (such as humidity, salinity, or pollution), some materials and finishes may deteriorate more quickly, even if they comply with our quality standards. Proper care and a controlled environment are essential to ensure both proper functioning and long-term durability. Terzani SRL reserves the right to modify the technical and/or design specifications of any product illustrated in the catalogue at any time and without notice for product production reasons and/or product improvement. Any such modifications shall not be grounds for returning a product once such product is delivered.

Units of measurement

All measurements in the price list are in centimeters.

OAH (overall height) - The total height of the pendant (s) may only be adjusted/shortened by a certified electrician.

The voltage of all products listed in this catalog is 220-240V. The 110V voltage is available upon request.

Light bulbs

Light bulbs, except for the integrated leds, are not included.

Place of jurisdiction

The judicial authorities in Florence shall have exclusive jurisdiction in any dispute.

TERZANI

All products in the Terzani collections are inspired by a return to noble artisan traditions. Every object is carefully created using craft techniques and for this reason certain details may vary from product to product. These variations are not imperfections but characteristic peculiarities of the production process. Terzani reserves the right to modify its products in order to improve its features.

Product reproduction on paper may result in a misrepresentation of some colors. For updated technical data please refer to our current price list or our website. For informations about Patent & Design Registration please visit: www.terzani.com/patents

Headquarter & Showroom Terzani srl

Via Castelpulci Int.9
50018 Scandicci Firenze Italy
Office +39 055 722021
info@terzani.com

Creative Direction Terzani
Art Direction Camilla Cordella
Photos Leonardo Beglieri
Digital imaging Fulvio Gallotti
Printed on eco-friendly paper
Eu (Italy) 2026
© terzani 2026

terzani.com

